Installation Restoration Program Final Third Quarter 1999-2000 Groundwater Monitoring Report

143rd Combat Communications Squadron Seattle Air National Guard Station Washington Air National Guard Seattle, Washington

July 2000



Air National Guard Andrews AFB, Maryland

Tech 99-001

KCSlip4 42709


Installation Restoration Program Final Third Quarter 1999-2000 Groundwater Monitoring Report

143rd Combat Communications Squadron Seattle Air National Guard Station Washington Air National Guard Seattle, Washington

July 2000

Prepared For:

Air National Guard Andrews AFB, Maryland





Environmental Resources Management 915 118th Avenue SE, Suite 130 Bellevue, Washington 98005

FINAL

TABLE OF CONTENTS

LIST OF FIGURES	iii
LIST OF TABLES	iv
LIST OF ACRONYMS/ABBREVIATIONS	v
EXECUTIVE SUMMARY	ES-1
SECTION 1.0	1-1
INTRODUCTION/BACKGROUND	1-1
SECTION 2.0	2-1
FIELD ACTIVITIES	2-1
2.1 Groundwater Sampling	2-1
2.1.1 Sample Collection Procedures	2-1
2.1.2 Field QA/QC Sampling	2-3
2.1.3 Groundwater Sample Analyses	2-4
2.2 Investigation-Derived Waste Management	2-4
SECTION 3.0	3-1
RESULTS	3-1
3.1 Groundwater Level Data Results	3-1
3.2 Field Parameter Results	3-1
3.3 Analytical Results	3-1
3.3.1 Groundwater Samples	3-9
3.3.2 Field QC Blank Samples	3-9
SECTION 4.0	4-1
CONCLUSIONS	4-1
SECTION 5.0	5-1
REFERENCES	5-1
APPENDIX A	

. **i**

WATER LEVEL DATA

TABLE OF CONTENTS

APPENDIX B

LABORATORY DATA SUMMARY SHEETS

APPENDIX C

QUALITY CONTROL DATA VALIDATION REPORT – FEBRUARY 2000 GROUNDWATER DATA

APPENDIX D

CHAIN-OF-CUSTODY FORMS

FINAL

LIST OF FIGURES

<u>Figure</u>		Page
FIGURE 1-1	Location Map of Seattle Air National Guard Station, Seattle, Washington	1-2
FIGURE 1-2	Site Map	1-3
FIGURE 2-1	Groundwater Monitoring Well Locations	2-2
FIGURE 3-1	Potentiometric Surface Map, 23 February 2000	3-2
FIGURE 3-2	Contaminant Concentration and Groundwater Elevation Versus Time, Wells MW-4 and MW-8	3-10
FIGURE 3-3	Contaminant Concentration and Groundwater Elevation Versus Time, Wells BS-004PZ and MW-5	3-11

FINAL

LIST OF TABLES

<u>Table</u>		<u>Page</u>
TABLE 2-1	Summary of Groundwater Samples and Analytical Methods, February 2000	2-5
TABLE 3-1	Final Field Parameter Measurements During Monitoring Well Purging, February 2000	3-3
TABLE 3-2	Organic Constituents Detected in Groundwater Monitoring Wells	3-4
TABLE 3-3	Constituents Detected in Field Quality Control Blank Samples, February 2000	20

LIST OF ACRONYMS/ABBREVIATIONS

Acronym/	
Abbreviation	<u>Definition</u>
ANG	Air National Guard
ANGS	Air National Guard Station
ARAR	Applicable or relevant and appropriate requirement
ASTM	American Society for Testing and Materials
CCSQ	Combat Communications Squadron
cis-1,2-DCE	cis-1,2-Dichloroethene
COC	Contaminant of concern
ERM	Environmental Resources Management
IRP	Installation Restoration Program
μg/l	Micrograms per liter
MTCA	Model Toxics Control Act
PCE	Tetrachloroethene
pН	Acidity/alkalinity
PSG	Project screening goal
QA/QC	Quality assurance/quality control
QC	Quality control
RI	Remedial Investigation
TCE	Trichloroethene
VOC	Volatile organic compound
USEPA	United States Environmental Protection Agency

EXECUTIVE SUMMARY

Groundwater samples were collected in February 2000 at the Seattle Air National Guard Station in Seattle, Washington, as part of a quarterly groundwater monitoring program. Thirteen monitoring wells were sampled using low-flow purging and sampling methods. The groundwater samples were analyzed for volatile organic compounds.

Static water levels in the monitoring wells were measured prior to purging and sampling the wells. Depths to water ranged from approximately 6 to 9 feet below ground surface. The inferred groundwater flow direction was toward the south-southwest, consistent with previous observations.

Chlorinated volatile organic compounds (VOCs) were detected in six monitoring wells. The detected concentrations were below Washington State Model Toxics Control Act (MTCA) Method A Cleanup Levels in five of the six wells. Trichloroethene (TCE) was detected at concentrations ranging from 2.9 to 12 micrograms per liter (μ g/l) in wells MW-4, MW-6, and MW-8 in the southern portion of the Station. The TCE concentration in well MW-8 (12 μ g/l) was above MTCA Method A Cleanup Level of 5.0 μ g/l. Tetrachloroethene was detected at a concentration of 4.1 μ g/l in well BS-004PZ at the north end of the Station. Cis-1,2-dichloroethene was detected at concentrations ranging from 1.0 to 5.8 μ g/l in wells MW-5, MW-6, and MW-8 in the southern portion of the Station. 1,1,1-Trichloroethane was detected at a concentration of 1.2 μ g/l in well MW-9 in the northern portion of the Station.

Time series plots of contaminant concentration versus groundwater elevation were produced for select monitoring wells. Portions of the data for wells MW-4 and MW-8 indicate an apparent correlation between dissolved contaminant concentrations and temporal water table fluctuations.

The source of the chlorinated VOCs detected in groundwater has not been identified. Observed TCE concentrations in monitoring wells MW-4 and MW-8 appear to depend in part on groundwater elevation, which suggests that there may be a residual contaminant source (e.g., sorbed-phase VOCs) in soils near the water table proximal to these wells. As discussed in the Phase II Remedial Investigation Report (ERM 1999a), the

TCE detected in monitoring wells in the southern portion of the Station may be related to the dissolved TCE plume beneath the Boeing facility immediately south of the Seattle ANGS.

ES-2


INTRODUCTION/BACKGROUND


This report summarizes the methods and results of the quarterly groundwater sampling event conducted on 23 and 24 February 2000 at the Seattle Air National Guard Station (Seattle ANGS) in Seattle, Washington (Figure 1-1). Groundwater monitoring has been conducted at the site since September 1996 as part of the Air National Guard (ANG) Installation Restoration Program (IRP). Environmental Resources Management (ERM) performed the work under National Guard Bureau Contract DAHA90-94-D-0014, Delivery Order 0067. The Air National Guard/Installation Restoration Program Branch provided technical and project management oversight of the work.

The Seattle ANGS is at 6736 Ellis Avenue South in Seattle, Washington, and occupies approximately 7.5 acres near the north end of the King County International Airport (Boeing Field). A map of the Seattle ANGS is shown in Figure 1-2. The Seattle ANGS is currently the home of the 143rd Combat Communications Squadron (CCSQ). The mission of the 143rd CCSQ is to provide mobile communication equipment and support for airports and airfields. The facility employs approximately 129 personnel, of which 25 are full-time employees.

The Seattle ANGS site was originally developed during World War II by the War Department, and was used by the United States Army Air Corps as an "Aircraft Factory School" from 1943 to 1948. In 1948 the property was given to King County as surplus property and was subsequently leased to the Washington ANG. On 21 April 1948, the 143rd Aircraft Control and Warning Squadron was established on the site. From May 1951 to February 1953, the 143rd was activated for recruitment purposes. During this period the unit had two C-47 aircraft. In 1960 the name of the unit was formally changed to the 143rd Communications Squadron Tributary Teams. In 1969 and 1988 the name of the unit was again changed, becoming the 143rd Mobile Communications Squadron and the 143rd CCSQ, respectively.

Currently, the Seattle ANGS property is leased from King County by the United States Air Force, which in turn licenses the property to the Washington State Military Department for ANG use.





KCSlip4 42720

Three IRP investigation phases have been completed at the Seattle ANGS:

- A Preliminary Assessment, conducted by the ANG in December 1993;
- A Preliminary Assessment/Site Inspection, conducted by Operational Technologies Corporation in 1994; and
- A two-part Remedial Investigation/Feasibility Study, conducted by ERM between 1996 and 1999.

The scope and results of these IRP investigations are summarized in the Phase II Remedial Investigation (RI) and Feasibility Study Reports (ERM 1999a, 1999b). Numeric project screening goals (PSGs) were developed during the RI for use in identifying contaminants of concern (COCs) in soil and groundwater. The PSGs were derived from chemical-specific State and Federal applicable or relevant and appropriate requirements (ARARs). The derivation of PSGs and the screening process used to identify COCs are described in the Phase II RI Report (ERM 1999a).

Two chlorinated volatile organic compounds (VOCs) - trichloroethene (TCE) and tetrachloroethene (PCE) - have been detected in groundwater at concentrations above PSGs. Isolated detections of PCE have occurred in two background (upgradient) monitoring wells and four site-characterization wells; the majority of the PCE detections have been below the Washington State Model Toxics Control Act (MTCA) Method A Cleanup Level of 5.0 micrograms per liter (μ g/l). Dissolved TCE in groundwater is the only consistently detected COC at the Seattle ANGS that may pose a potential threat to human health or the environment. TCE has been detected at concentrations up to 83 μ g/l in shallow groundwater in the southern portion of the Station. The MTCA Method A Cleanup Level for TCE is 5.0 μ g/l.

An on-site source area for the TCE detected in groundwater has not been identified. Out of 27 soil samples analyzed for VOCs during the RI, only one was found to contain TCE. The TCE concentration reported in this sample (0.17 milligrams per kilogram) was below the MTCA Method A Soil Cleanup Level of 0.5 milligrams per kilogram. Furthermore, this soil sample was collected at the depth of the water table (approximately 10 feet below ground surface) in the southern portion of the Station, and thus may have contained TCE-impacted groundwater that biased the analytical results. Chlorinated VOCs were not detected in any of the other RI soil samples. As discussed in the Phase II RI Report (ERM 1999a), the

groundwater data suggest that the dissolved TCE detected in monitoring wells at the Seattle ANGS may be related to groundwater contamination at the Boeing facility immediately south of the Station. Concentrations of TCE up to 1,300 $\mu g/I$ have been detected in monitoring wells at the Boeing site.

FIELD ACTIVITIES

This section provides a summary of field activities performed during the February 2000 quarterly groundwater sampling event. Groundwater sampling was conducted on 23 and 24 February 2000 in accordance with the procedures detailed in the 1999-2000 Groundwater Monitoring Work Plan (ERM 1999c). Figure 2-1 shows the locations of the monitoring wells.


2.1 Groundwater Sampling

Groundwater samples were collected and water levels measured in the following monitoring wells: BS-004PZ, BS-005PZ, BS-006PZ, and MW-1 through MW-10. Upgradient wells BS-004PZ and MW-1 at the north end of the Station (Figure 2-1) are considered background wells.

Prior to the collection of groundwater samples, static water levels in the monitoring wells were measured to within ±0.01 foot using an electronic water level indicator. Measurements were made from established reference points marked on top of each well casing. The monitoring wells were then purged and sampled using low-flow techniques. Samples were collected for analysis of VOCs.

2.1.1 Sample Collection Procedures

Using a bladder pump, each monitoring well was purged at a rate of less than 500 milliliters per minute. The pump was placed between the middle and top of the screened interval in each well. The temperature, acidity/alkalinity (pH), specific conductance, turbidity, and dissolved oxygen content of the purge water were monitored during well purging using an in-line flow cell and portable water quality meter. Purging continued until specific conductance and turbidity (or dissolved oxygen) stabilized to within ±10 percent, pH to within ±0.1 units, and temperature to within ±1 degree Celsius.



After each monitoring well was purged, groundwater samples were collected using the submersible pump. The samples were collected in 40-milliliter glass vials with Teflon-lined septum lids and preserved with hydrochloric acid. Immediately following sample collection, the groundwater samples were labeled and placed in coolers containing ice. The samples were delivered to the analytical laboratory under chain of custody.

A fresh length of disposable polyethylene pump-discharge tubing was used at each monitoring well. Reusable sampling equipment was decontaminated before and after use at each well. The electronic water level indicator and the bladder pump housing were washed with an aqueous solution of Liqui-Nox (a laboratory-grade detergent) followed by a tap water rinse, a rinse with American Society for Testing and Materials (ASTM) Type II reagent-grade water, and a final spray rinse with isopropanol. The bladder pump internals were decontaminated by pouring a Liqui-Nox solution, followed by tap water and ASTM Type II water, through the pump. The ASTM Type II water was produced on-site from Station tap water using a portable water filtration system.

2.1.2 Field QA/QC Sampling

In addition to the primary groundwater samples collected from 13 groundwater monitoring wells, the following quality assurance/quality control (QA/QC) samples were collected and/or prepared:

- One equipment rinsate blank and two field blanks. ASTM Type II water was used to prepare the rinsate blank; field blanks were prepared from tap water and ASTM Type II water. The sample identifiers for the blank samples consisted of the identifier for the primary sample collected immediately prior to the blank, followed by an "R" for the rinsate blank, an "FT" for the tap water field blank, and an "FA" for the ASTM Type II water field blank.
- One duplicate sample from monitoring well MW-8. The sample identifier for the field duplicate sample was the same as the associated primary sample, followed by a "D".
- One sample for matrix spike/matrix spike duplicate analysis. The sample collected from monitoring well MW-8 was designated for the matrix spike/matrix spike duplicate analysis.

 One trip blank. The trip blank was prepared by the laboratory using reagent water, and accompanied the sample containers in the cooler in transit to the field and back to the laboratory.

2.1.3 Groundwater Sample Analyses

The groundwater samples were analyzed for VOCs using United States Environmental Protection Agency (USEPA) Method 8260. MultiChem Analytical Services in Renton, Washington performed the analyses. A summary of the samples submitted for laboratory analysis is shown in Table 2-1.

2.2 Investigation-Derived Waste Management

Purge water and decontamination water was collected and stored in a 55-gallon drum. The groundwater analytical results were used to designate the drum contents as dangerous or non-dangerous waste in accordance with Washington State Dangerous Waste Regulations, Washington Administrative Code Chapter 173-303.

The purge water and decontamination water was determined not to be a Washington-defined dangerous waste. Accordingly, the purge water and decontamination water can be discharged to the sanitary sewer if approved by the local publicly owned treatment works (King County Department of Natural Resources, Wastewater Division). Alternatively, the purge water and decontamination water may be disposed at a facility that is permitted to receive and dispose of industrial wastewater, or at a permitted dangerous waste treatment, storage, and disposal facility.

TABLE 2-1

Summary of Groundwater Samples and Analytical Methods, February 2000 143rd CCSQ, Seattle ANGS, Seattle, Washington

Matrix	Sampling	Field	Laboratory	Primary y Analytical Sample		llytical Sample					Total
	Method/Locations	Parameters	Parameters	rameters Method		Trip Blank	Rinsate Blank	Field Blank	Field Duplicate	MS/MSD	Laboratory Analyses
Groundwater	Low-flow sampling; 13 monitoring wells	S.C., Turbidity, pH, Temperature, D.O.	VOCs	USEPA 8260	13	1	1	2	1	1	19

Notes:

D.O. = Dissolved oxygen content
MS/MSD = Matrix spike/matrix spike duplicate
pH = Acidity/alkalinity

QA/QC = Quality assurance/quality control S.C. = Specific conductance USEPA = United States Environmental Protection Agency VOC = Volatile organic compound

RESULTS

This section summarizes the results of the February 2000 groundwater sampling event at the Seattle ANGS.

3.1 Groundwater Level Data Results


Static water levels measured in the monitoring wells on 23 February 2000 ranged from approximately 6 to 9 feet below ground surface. Depth measurements were converted to groundwater elevations by subtracting the measured depth to water in each well from the known elevation of the wellhead (top of well casing). A potentiometric surface map generated from the groundwater elevation data is presented in Figure 3-1. The inferred groundwater flow direction was toward the south-southwest, consistent with previous measurements. Cumulative water level data for the Seattle ANGS monitoring wells are included in Appendix A.

3.2 Field Parameter Results

Before groundwater samples were collected from each monitoring well, the well was purged until field parameter measurements stabilized. The final field parameter measurements are summarized in Table 3-1.

3.3 Analytical Results

The analytical testing results for the February 2000 groundwater samples are summarized in Table 3-2. Table 3-2 also includes the results for groundwater samples collected during the RI and previous quarterly sampling events, and the PSGs derived from chemical-specific ARARs. The analytical testing results for the field QC blank samples are summarized in Table 3-3.



			Field Parameter	'S		
Monitoring Well	Temperature (Degrees Celsius)	рН	Specific Conductance (µS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/l)	
BS-004PZ (Background Well)	11.2	5.31	112	860	7.40	
BS-005PZ	13.7	5.63	231	3.6	0.83	
BS-006PZ	13.0	5.60	214	39	3.07	
MW-1 (Background Well)	14.0	5.54	204	3.2	0.99	
MW-2	13.3	5.30	158	0.6	2.66	
MW-3	13.2	5.67	233	14	1.77	
MW-4	14.5	5.76	282	49	1.30	
MW-5	12.8	5.70	307	4.1	1.01	
MW-6	14.8	5.77	199	38	3.19	
MW-7	13.6	5.44	442	160	5.93	
MW-8	12.1	5.81	266	330	7.15	
MW-9	12.2	5.65	217	35	7.30	
MW-10	12.6	5.97	175	17	7.98	

g/l = grams per liter mg/l = milligram per liter

mV = millivolts

Notes:

 $\mu S/cm = Microsiemens per centimeter$

mg/l = Milligrams per liter

NTU = Nephelometric turbidity units

pH = Acidity/alkalinity

TABLE 3-2

Organic Constituents Detected in Groundwater Monitoring Wells 143rd CCSQ, Seattle ANGS, Seattle, Washington

Location	Date	Acetone	Toluene	1,1- Dichloroethane	1,1,1- Trichloroethane	cis-1,2- Dichloroethene	1,3,5- Trimethylbenzene	Trichloroethene	Tetrachloroethe
	09/17/1996	ND	(ND)	0.3	3.7	ND	ND	ND	3.8
	9/17/% (dup)	ND	(ND)	0.3	3.8	ND	ND	ND	3.8
	01/14/1997	ND	ND	ND	2.4	ND	ND	ND	5.1
	04/11/1997	ND	ND	ND	3.3	ND	ND	ND	17
	07/10/1997	ND	ND	ND	1.8	ND	ND	ND	(ND)
BS-004PZ	09/02/1998	ND	ND	ND	ND	ND	NΛ	ND	2.0
(Background Well)	11/25/1998	ND	ND	ND	ND	ND	NA	ND	ND
	02/24/1999	ND	ND	ND	ND	ND	NA	ND	ND
	05/19/1999	ND	ND	ND	ND	ND	NA	ND	6.8
	08/25/1999	ND	ND	ND	ND	ND	NA	ND	ND
	11/23/1999	ND	ND	ND	ND	ND	NA	ND	3.1
	02/23/2000	ND	ND	ND	ND	ND	NA	ND	4.1
	09/17/1996	ND	ND	ND	ND	ND	0.2	ND	ND
	01/15/1997	ND	ND	ND	ND	ND	ND	ND	ND
	04/11/1997	ND	ND	ND	ND	ND	ND	ND	ND
	07/11/1997	ND	ND	ND	ND	ND	ND	ND	4.7
	09/01/1998	ND	ND	ND	ND	ND	NA	ND	ND
BS-005PZ	11/25/1998	ND	ND	ND	ND	ND	NA	ND	ND
	02/24/1999	ND	ND	ND	ND	ND	NA	ND	ND
	05/18/1999	ND	ND	ND	ND	ND	NA	ND	ND
	08/24/1999	ND	ND	ND	ND	ND	NA	ND	ND
	11/23/1999	ND	ND	ND	ND	ND	NA	ND	ND
	02/24/2000	ND	ND	ND	ND	ND	NA	ND	ND
	09/17/1996	ND	ND	ND	ND	ND	0.2	ND	ND
	01/14/1997	ND	ND	ND	ND	ND	ND	ND	ND
	04/11/1997	ND	ND	ND	ND	ND	ND	ND	ND
	07/11/1997	ND	ND	ND	ND	ND	ND	ND	ND
	09/02/1998	ND	ND	ND	ND	ND ·	NA	ND	ND
BS-006PZ	11/24/1998	ND	ND	ND	ND	ND	NA	ND	ND
	02/24/1999	ND	ND	ND	ND	ND	NA	ND	ND
	05/18/1999	ND	ND	ND	ND	ND	NA	ND	ND
	08/24/1999	ND	ND	ND	ND	ND	NA	ND	ND
	11/23/1999	ND	ND	ND	ND	ND	NA	ND	ND
	02/23/2000	ND	ND	ND	ND	ND	NA	ND	ND

KCSlip4 42731

TABLE 3-2

Organic Constituents Detected in Groundwater Monitoring Wells 143rd CCSQ, Seattle ANGS, Seattle, Washington

				1,1-	1,1,1-	cis-1,2-	1,3,5-	ł	
Location	Date	Acetone	Toluene	Dichloroethane	Trichloroethane	Dichloroethene	Trimethy lbenzene	Trichloroethene	Tetrachloroethene
1	10/18/1996	ND	ND	ND	ND	ND	ND	ND	ND
1	12/17/1996	ND	ND	ND	ND	ND	ND	ND	ND
	01/14/1997	ND	1.1	ND	ND	ND	ND	ND	ND
	04/11/1997	ND	ND	ND	ND	ND	ND	ND	ND
	07/11/1997	ZD ZD	ND	ND	ND	ND	ND	ND	ND
MW-1	09/01/1998	ND	6.0	ND	ND	ND	NA	ND	ND
(Background Well)	11/25/1998	ND	ND	ND	ND	ND	NA	ND	ND
	02/24/1999	ZD	ND	ND	ND	ND	NA	ND	5.2
ļ.	05/19/1999	ND	ND	ND	ND	ND	NA	ND	ND
	08/25/1999	ND	ND	ND	ND	ND	NA	ND	ND
	11/23/1999	ND	ND	ND	ND	ND	NA	ND	ND
	02/23/2000	ND	ND	ND	ND	ND	NA	ND	ND
	10/18/1996	ND	ND	ND	ND	ND	ND	ND	ND
	12/17/1996	ND	ND	ND	ND	ŊD	ND	ND	ND
<u>}</u>	01/15/1997	ND	ND	ND	ND	ND	ND	ND	ND
İ	1/15/97 (dup)	ND	ND	ND	ND	ND	ND	ND	ND
·	04/10/1997	ND	ND	ND	ND	ND	ND	ND	ND
	07/11/1997	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	09/02/1998	ND	ND	ND	ND	ND	NA	ND	ND
	11/25/1998	ND	ND	ND	ND	ND	NA	ND	ND
j	02/24/1999	ND	ND	ND	ND	ND	NA	ND	ND
	05/18/1999	ND	ND	ND	ND	ND	NA	ND	ND
	08/24/1999	ND	ND	ND	ND	ND	NA	ND	ND
	11/23/1999	ND	ND	ND	ND	ND	NA	ND	ND
	02/23/2000	ND	ND	ND	ND	ND	NA	ND	ND
	10/18/1996	18	ND	ND	ND	ND	ND	ND	ND
	10/18/96 (dup)	20	ND	ND	ND	ND	ND	ND	ND
	12/17/1996	ND	ND	ND	ND	ND	ND	ND	ND
	12/17/96 (dup)	ND	ND	ND	ND	ND	ND	ND	ND
	01/15/1997	ND	ND	ND	ND	ND	NID	ND	ND
	04/11/1997	ND	ND	ND	ND	ND	ND	ND	ND
•	07/11/1997	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	09/02/1998	ND	ND	ND	ND	ND	NA	ND	ND
	9/2/98 (dup)	ND	ND	ND	ND	ND	NA	ND	ND
	11/24/1998	ND	ND	ND	ND	ND	NA	ND	ND
	11/24/98 (dup)	ND	ND	ND	ND	ND	NA	ND	ND
	02/25/1999	ND	ND	ND	ND	ND	NA	ND	ND
	05/18/1999	ND	ND	ND	ND	ND	NA	ND	ND
	08/24/1999	ND	ND	ND	ND	ND	NA	ND	1.2
	11/23/1999	ND	ND	ND	ND	ND	NA	ND	ND
	02/23/2000	ND	ND	ND	ND	ND	NA	ND	ND

TABLE 3-2

Organic Constituents Detected in Groundwater Monitoring Wells 143rd CCSQ, Seattle ANGS, Seattle, Washington

T+:	, p.,.	A	m 1	1,1-	1,1,1-	cis-1,2-	1,3,5-		
Location	Date	Acetone	Toluene	Dichloroethane		Dichloroethene	Trimethylbenzene	Trichlomethene	Tetrachloroethen
	10/18/1996	11	ND	ND	ND	ND	ND	3.9	ND
	12/17/1996	ND	ND	ND	ND	ND	ND	2.7	ND
	01/14/1997	ND	ND	ND	ND	ND	ND	3.4	ND
	04/11/1997	ND	ND	ND	ND	ND	ND	3.2	ND
	07/11/1997	ND	ND	ND	ND	ND	ND	2.8	ND
	09/02/1998	ND	ND	ND	ND	ND	NA	2.0	ND
MW-4	11/24/1998	ND	ND	ND	ND	ND	NA	3.4	ND
	02/24/1999	ND	ND	ND	ND	ND	NA	2.6	ND
	2/24/99 (dup)	ND	ND	ND	ND	ND	NA	2.6	ND
	05/18/1999	ND	ND	ND	ND	ND	NA	2.9	ND
	08/24/1999	ND	ND	ND	ND	ND	NA	3.3	ND
	11/24/1999	ND	ND	ND	ND	ND	NA	2.4	ND
	02/24/2000	ND	ND	ND	ND	ND	NA	2.9	ND
	10/18/1996	ND	ND	ND	ND	5.6	ND	ND	ND
	12/17/1996	ND	ND	ND	ND	4.9	ND	ND	ND
	01/14/1997	ND	ND	ND	ND	2.7	ND	ND	ND
	04/11/1997	ND	ND	ND	ND	1.4	ND	N D	ND
	4/11/97 (dup)	ND	ND	ND	ND	1.6	ND	ND	ND
	07/10/1997	ND	ND	ND	ND	3.5	ND	2.1	(ND)
MW-5	7/10/97 (dup)	ND	ND	ND	ND	2.8	ND	ND	ND
	09/02/1998	ND	ND	ND	ND	ND	NA	ND	ND
	11/24/1998	ND	ND	ND	ND	3.2	NA	ND	ND
	02/25/1999	ND	ND	ND	ND	1.7	NA	ND	ND
	05/18/1999	ND	ND	ND	ND	ND	NA	ND	ND
	08/24/1999	ND	ND	ND	ND	ND	NA	ND	ND
	11/23/1999	ND	ND	ND	ND	2.2	NA	ND	ND
	02/24/2000	ND	ND	NID	ND	2.5	NA	ND	ND
	09/02/1998	ND	ND	ND	ND	ND	NA	3.0	ND
	11/24/1998	ND	ND	ND	ND	ND	NA	3.0	ND
	02/25/1999	ND	ND	ND	ND	ND	NA	ND	ND
MW-6	05/18/1999	ND	ND	ND	ND	1.0	NA	5.7	ND
	08/24/1999	ND	ND	ND	ND	ND	NA	3.5	ND
	11/23/1999	ND	ND	ND	ND	ND	NA	2.9	ND
	02/24/2000	ND	ND	ND	ND	1.0	NA	4.3	ND
	09/02/1998	ND	ND	ND	ND	ND	NA	ND	ND
	11/24/1998	ND	ND	ND	ND	ND	NA	3.8	ND
	02/25/1999	ND	ND	ND	ND	ND	NA NA	ND	ND
MW-7	05/18/1999	ND	ND	ND	ND	ND	NA	ND	ND
	08/24/1999	ND	ND	ND	ND	ND	NA	1.9	1.7
	11/23/1999	ND	ND	ND	ND	ND	NA	1.5	ND
	02/24/2000	ND	ND	ND	ND	ND	NA	ND	ND

SEA409263

KCSlip4 42733

KCSI
Ç
4
4
\dot{o}
7
w
4

Location	Date	Acetone	Toluene	1,1- Dichloroethane	1,1,1- Trichloroethane	cis-1,2- Dichloroethene	1,3,5- Trimethylbenzene	Trichloroethene	Tetrachloroethe
	09/02/1998	ND	ND	ND	ND	ND	NA	3.0	ND
	11/24/1998	ND	ND	ND	ND	ND	NA	3.3	ND
	02/24/1999	ND	ND	ND	ND	39	NA	83	ND
	2/24/99 (dup)	ND	ND	ND	ND	42	NA	87	ND
	05/18/1999	ND	ND	ND	ND	4.5	NA	19	ND
MW-8	5/18/99 (dup)	ND	ND	ND	ND	4.7	NA	21	ND
	08/24/1999	ND	ND	ND	ND	ND	NA	7.2	ND
	8/24/99 (dup)	ND	ND	ND	ND	ND	NA	6.7	ND
	11/24/1999	ND	ND	ND	ND	ND	NA	4.2	ND
	11/24/99 (dup)	ND	ND	ND	ND	ND	NA	4.3	ND
	02/24/2000	ND	ND	ND	ND .	5.8	NA	12	ND
	2/24/00 (dup)	ND	ND	ND	ND	6.1	NA	14	ND
	09/01/1998	ND	ND	ND	ND	ND	NA	ND	ND
	11/24/1998	ND	ND	ND	ND	ND	NA	ND	ND
	02/24/1999	ND	ND	ND	ND	ND	NA	ND	ND
MW-9	05/18/1999	ND	ND	ND	1.4	ND	NA	ND	1.8
	08/24/1999	ND	ND	ND	2.0	ND	NA	ND	1.9
	11/23/1999	ND	ND	ND	ND	ND	NA	ND	ND
	02/24/2000	ND	ND	ND	1.2	ND	NA	ND	ND
	09/01/1998	ND	ND	ND	ND	ND	NA	ND	ND
	11/25/1998	ND	ND	ND	ND	ND	NA	ND	ND
	02/24/1999	ND	ND	ND	ND	ND	NA	ND	ND
MW-10	05/19/19 99	ND	ND	ND	ND	ND	NA	ND	ND
	08/25/1999	ND	ND	ND	ND	ND	NA NA	ND	ND
	11/23/1999	ND	ND	ND	ND	ND	NA NA	ND	ND
	02/24/2000	ND	ND	ND	ND	ND	NA NA	ND	ND
ject Screening	Goal	800	40	800	200	70	0.507	5.0	5.0

All concentrations in micrograms per liter (µg/l)

ND = Not detected above laboratory method reporting limit

⁽ND) = A positive detection was reported by the laboratory for this constituent in the sample indicated. The sample result was qualified as not detected based on a detection of the constituent in an associated quality control blank (United States Environmental Protection Agency Contract Laboratory Program "10x" and "5x" rules).

NA = Not analyzed

dup = Duplicate sample

R1 = Remedial Investigation

Shaded cell/bold typeface indicates a value exceeding the associated RI project screening goal.

			Volatile Organ	ic Compounds
Туре	Date	Sample Number	Bromo- dichloromethane	Chloroform
Field Blank (Tap Water)	02/24/00	MW-4-99/00-3FT	1.1	30
Field Blank (ASTM Type II Water)	02/24/00	MW-4-99/00-3FA	ND	ND
Rinsate Blank	02/24/00	MW-8-99/00-3R	ND	ND
Trip Blank	02/23/00	TB022300-1	ND	ND

Notes:

Concentrations in micrograms per liter ($\mu g/l$). ASTM = American Society for Testing and Materials ND = Not detected above laboratory method reporting limit.

. ∞

Copies of the laboratory data summary sheets are included in Appendix B. The QC Data Validation Report is included in Appendix C. Appendix D contains copies of the Chain-of-Custody Forms.


3.3.1 Groundwater Samples


TCE (12 µg/l) was detected above the PSG in the groundwater sample collected from monitoring well MW-8, and below the PSG in the samples collected from wells MW-4 and MW-6. PCE was detected below the PSG in the groundwater sample collected from well BS-004PZ. Cis-1,2-dichloroethene (cis-1,2-DCE) was detected below the PSG in the groundwater samples collected from wells MW-5, MW-6, and MW-8. 1,1,1-Trichloroethane was detected below the PSG in the groundwater sample collected from well MW-9.

Time series plots of groundwater elevation and TCE, PCE, and cis-1,2-DCE concentrations were produced for wells BS-004PZ, MW-4, MW-5, and MW-8 to determine whether measured contaminant concentrations correlate with groundwater fluctuations beneath the Station. The time series plots are shown in Figures 3-2 and 3-3. Portions of the data for wells MW-4 and MW-8 indicate an apparent correlation between contaminant concentration and groundwater elevation (Figure 3-2). There may also be a correlation in the data for wells MW-5 and BS-004PZ, but this is less apparent.

3.3.2 Field QC Blank Samples

Field QC blank samples (Table 3-3) were analyzed for the same parameters as the associated groundwater samples. Chloroform and bromodichloromethane were detected in the tap water field blank produced from Station water. These compounds are common residual byproducts of the drinking water chlorination process. Chloroform and bromodichloromethane were not detected in any groundwater samples.





SECTION 4.0

CONCLUSIONS


Groundwater samples collected at the Seattle ANGS in February 2000 were analyzed for VOCs. The chlorinated compounds PCE, TCE, cis-1,2-DCE, and/or 1,1,1-trichloroethane were detected in select monitoring wells near the southern Station boundary and at the north end of the Station. With the exception of the TCE concentration reported in well MW-8 (12 μ g/l), these compounds were detected at concentrations below Washington MTCA Method A Cleanup Levels.

Time series plots of contaminant concentration versus groundwater elevation were produced for monitoring wells BS-004PZ, MW-4, MW-5, and MW-8. Portions of the data for wells MW-4 and MW-8 indicate an apparent correlation between dissolved contaminant concentrations and temporal water table fluctuations. This correlation is less apparent in wells MW-5 and BS-004PZ.

The source of the chlorinated VOCs detected in groundwater has not been identified. Observed TCE concentrations in monitoring wells MW-4 and MW-8 appear to depend in part on groundwater elevation, which suggests that there may be a residual contaminant source (e.g., sorbed-phase VOCs) in soils near the water table proximal to these wells. As discussed in the Phase II RI Report (ERM 1999a), the TCE detected in monitoring wells in the southern portion of the Station may be related to the dissolved TCE plume beneath the Boeing facility immediately south of the Seattle ANGS.

SECTION 5.0

REFERENCES



KCSlip4 42741

APPENDIX A

WATER LEVEL DATA

TABLE A-1

Monitoring Well Water Level Summary
143rd CCSQ, Seattle ANGS, Seattle, Washington

FINAL

Monitoring Well	Measuring Point Elevation (ft amsl)	Date	Depth to Water (ft bmp)	Water Level Elevation (ft amsl)
		9/17/96	8.88	5.78
		10/22/96	8.93	5.73
		12/17/96	8.08	6.58
		1/14/97	6.98	7.68
BS-004PZ	14.66	4/11/97	7.23	7.43
(Background Well)		7/10/97	8.08	6.58
		9/1/98	9.79	4.87
		11/24/98	9.39	5.27
		02/24/99	6.84	7.82
		05/18/99	7.81	6.85
		08/25/99	8.50	6.16
		11/23/99	8.84	5.82
		02/23/00	7.80	6.86
BS-005PZ		9/17/96	9.16	5.23
		10/22/96	9.42	4.97
		12/17/96	8.51	5.88
		1/15/97	7.48	6.91
		4/10/97	7.65	6.74
	14.39	7/11/97	8.47	5.92
		9/1/98	10.12	4.27
		11/24/98	9.41	4.98
		02/24/99	7.32	7.07
		05/18/99	8.15	6.24
		08/24/99	9.19	5.20
		11/23/99	9.13	5.26
		02/23/00	8.16	6.23
BS-006PZ		9/17/96	9.12	5.47
		10/22/96	9.47	5.12
	ļ	12/17/96	8.54	6.05
	ľ	1/14/97	7.62	6.97
	Ī	4/11/97	7.77	6.82
		7/11/97	8.49	6.10
	14.59	9/1/98	10.29	4.30
	Ţ	11/24/98	9.37	5.22
	Ī	02/24/99	7.42	7.17
	F	05 100 100		

05/28/99

08/24/99

11/23/99

02/23/00

8.20

9.16

9.10

8.18

6.39

5.43

5.49

6.41

FINAL

TABLE A-1 Monitoring Well Water Level Summary 143rd CCSQ, Seattle ANGS, Seattle, Washington

Monitoring Well	Measuring Point Elevation (ft amsl)	Date	Depth to Water (ft bmp)	Water Level Elevation (ft amsl)
MW-1 (Background Well)	14.92	10/22/96	9.18	5.74
		12/17/96	8.20	6.72
		1/14/97	7.11	7.81
		4/10/97	7.58	7.34
		7/11/97	8.51	6.41
		9/1/98	10.22	4.70
		11/24/98	9.45	5.47
		02/24/99	7.12	7.80
		05/18/99	8.25	6.67
		08/25/99	8.78	6.14
		11/23/99	9.23	5.69
		02/23/00	8.18	6.74
	14.60	10/22/96	8.89	5.71
		12/17/96	8.03	6.57
		1/15/97	7.13	7.47
MW-2		4/10/97	7.25	7.35
		7/11/97	7.98	6.62
		9/1/98	9.59	5.01
		11/24/98	9.75	4.85
		02/24/99	6.70	7.90
		05/18/99	7.71	6.89
		08/24/99	8.68	5.92
		11/23/99	8.67	5.93
		02/23/00	7.68	6.92
MW-3	11.88	10/22/96	7.77	4.11
		12/17/96	6.78	5.10
		1/15/97	7.80	4.08
		4/11/97	6.06	5.82
		7/11/97	6.94	4.94
		9/1/98	8.09	3.79
		11/24/98	7.20	4.68
		02/24/99	5.56	6.32
		05/18/99	6.65	5.23
		08/24/99	7.05	4.83
		11/23/99	7.43	4.45
		02/23/00	6.52	5.36

TABLE A-1

Monitoring Well Water Level Summary

143rd CCSQ, Seattle ANGS, Seattle, Washington

Monitoring Well	Measuring Point Elevation (ft amsl)	Date	Depth to Water (ft bmp)	Water Level Elevation (ft amsl)
		10/22/96	8.20	3.85
		12/17/96	7.21	4.84
	1	1/14/97	6.31	5.74
		4/11/97	6.65	5.40
		7/11/97	1/97 7.43 4.62	4.62
		9/1/98	8.21	3.84
MW-4	12.05	11/24/98	8.14	3.91
		02/24/99	6.08	5.97
		05/18/99	7.16	Elevation (ft amsl) 3.85 4.84 5.74 5.40 4.62 3.84 3.91 5.97 4.89 3.91 4.32 5.07 3.88 4.88 5.93 5.58 4.71 3.79 3.83 6.10 4.96 3.97 4.20 5.12 3.24 3.98 6.12 5.07 4.08 4.34 5.22 5.42 4.87
		08/24/99	8.14	3.91
		11/24/99	7.73	4.32
		02/23/00	6.98	5.07
		10/22/96	10.06	3.88
		12/17/96	9.06	4.88
	[1/14/97	8.01	5.93
	13.94	4/11/97	8.36	5.58
		7/10/97	9.23	4.71
		9/1/98	10.15	3.79
MW-5		11/24/98	10.11	3.83
		02/24/99	7.84	6.10
		05/18/99	8.98	4.96
		08/24/99	9.97	3.97
		11/23/99	9.74	4.20
		02/23/00	8.82	5.12
	11.62	9/1/98	8.38	3.24
		11/24/98	7.64	3.98
		02/24/99	5.50	6.12
MW-6		05/18/99	6.55	5.07
		08/24/99	7.54	4.08
		11/23/99	7.28	4.34
		02/23/00	6.40	5.22
MW-7		9/1/98	6.75	5.42
	[11/24/98	7.30	4.87
	ĺ	02/24/99	5.94	6.23
	12.17	05/18/99	7.05	5.12
		08/24/99	8.08	4.09
		11/23/99	7.85	4.32
		02/23/00	6.94	5.23

FINAL

TABLE A-1 Monitoring Well Water Level Summary 143rd CCSQ, Seattle ANGS, Seattle, Washington

Monitoring Well	Measuring Point Elevation (ft amsl)	Date	Depth to Water (ft bmp)	Water Level Elevation (ft amsl)
		9/1/98	8.89	3.01
		11/24/98	8.02	3.88
		02/24/99	5.82	6.08
MW-8	11.90	05/18/99	6.95	4.95
		08/24/99	7.95	3.95 4.31 5.10
		11/24/99	7.59	4.31
		02/23/00	6.80	5.10
MW-9		9/1/98	9.78	4.52
		11/24/98	8.00	6.30
		02/24/99	6.76	7.54
	14.30	05/18/99	7.69	6.61
		08/24/99	8.42 5.8	5.88
		11/23/99	8.43	5.87
		02/23/00	7.70	6.60
-		9/1/98	10.42	4.55
MW-10	ĺ	11/24/98	9.69	5.28
	[02/24/99	7.40	Elevation (ft amsl) 3.01 3.88 6.08 4.95 3.95 4.31 5.10 4.52 6.30 7.54 6.61 5.88 5.87 6.60 4.55
	14.97	05/18/99	8.43	
	ĺ	08/25/99	9.00	5.97
		11/23/99	9.45	5.52
		02/23/00	8.40	6.57

Notes:

ft amsl = Feet above mean sea level

ft bmp = Feet below measuring point

APPENDIX B

LABORATORY DATA SUMMARY SHEETS



March 20, 2000

ERM-West, Inc. 915 118th Ave. SE Suite 130 Bellevue WA 98005

Attention : Rob Leet

Project Number: 6067.25

Project Name : Seattle Quarterly GW Monitoring

Dear Mr. Leet:

On February 24, 2000, MultiChem Analytical Services received 18 samples r analysis. The samples were analyzed with EPA methodology or equivalent methods as specified in the attached analytical schedule. The results, sample cross reference, and quality control data are enclosed.

Sincerely,

Janet M. Cloudier Project Manager

JMC/hal/trm

Enclosure



SAMPLE CROSS REFERENCE SHEET

CLIENT : ERM-WEST, INC.

PROJECT # : 6067.25

PROJECT NAME : SEATTLE QTLY. GW MONITORING

MAS #	CLIENT DESCRIPTION	DATE SAMPLED	MATRIX
002063-1	BS-006P2-99/00-3	02/23/00	WATER
002063-2	MW-2-99/00-3	02/23/00	WATER
002063-3	MW-1-99/00-3	02/23/00	WATER
002063-4	BS-004PZ-99/00-3	02/23/00	WATER
002063-5	MW-3-99/00-3	02/23/00	WATER
002063-6	MW-10-99/00-3	02/24/00	WATER
002063-7	MW-9-99/00-3	02/24/00	WATER
002063-8	BS-005PZ-99/00-3	02/24/00	WATER
002063-9	MW-6-99/00-3	02/24/00	WATER
002063-10	MW-7-99/00-3	02/24/00	WATER
002063-11	MW-5-99/00-3	02/24/00	WATER
002063-12	TB022300-1	02/24/00	WATER
002063-13	MW-8-99/00-3	02/24/00	WATER
002063-14	MW-8-99/00-3D	02/24/00	WATER
002063-15	MW-8-99/00-3R	02/24/00	WATER
^02063-16	MW-4-99/00-3	02/24/00	WATER
J2063-17	MW-4-99/00-3FA	02/24/00	WATER
002063-18	MW-4-99/00-3FT	02/24/00	WATER

---- TOTALS -----

MATRIX # SAMPLES ------ WATER 18

MAS STANDARD DISPOSAL PRACTICE

The samples from this project will be disposed of in thirty (30) days from the date of the report. If an extended storage period is required, please contact our sample control department before the scheduled disposal date.

KCSlip4 42750

.4.



ANALYTICAL SCHEDULE

CLIENT : ERM-WEST, INC. PROJECT # : 6067.25

PROJECT NAME : SEATTLE QTLY. GW MONITORING

ANALYSIS .	TECHNIQUE	REFERENCE	LAB
VOLATILE ORGANICS ANALYSIS	GCMS	EPA 8260B	R

R = MAS - Renton ANC = MAS - Anchorage SUB = Subcontract

MultiChem
ANALYTICAL SERVICES

CASE NARRATIVE

CLIENT

: ERM-WEST, INC.

PROJECT #

: 6067.25

PROJECT NAME

: SEATTLE QTLY. GW MONITORING

CASE NARRATIVE: VOLATILE ORGANICS ANALYSIS

The following anomaly was associated with the preparation and/or analysis of the samples in this accession:

Per client request, initial calibration for all quantified compounds has been performed using average response factors. In all cases, the percent relative standard deviation (%RSD) is <30%. In order to achieve this %RSD criterion, some of the high or low end calibration points may have been eliminated from the initial calibration. However, the initial calibration of all target compounds contains at least five consecutive points over the calibration range, with the low point at or below the reporting limit, and the high point defining the upper limit of the calibration range.

All other associated quality assurance/quality control (QA/QC) parameters were within established MultiChem control limits.

KCSlip4 42752

CLIENT

VINYL ACETATE

1,1,2-TRICHLOROETHANE

TOLUENE



· NI/Z

DATE SAMPLED

<1.0

<10

<1.0

<1.0

VOLATILE ORGANICS ANALYSIS DATA SUMMARY

PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : METHOD BLANK SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE ANALYZED : 03/06/00 UNITS : ug/L DILUTION FACTOR : 1
COMPOUNDS	RESULTS
CHLOROMETHANE VINYL CHLORIDE BROMOMETHANE CHLOROETHANE TRICHLOROFLUOROMETHANE ACETONE 1,1-DICHLOROETHENE METHYLENE CHLORIDE CARBON DISULFIDE TRANS-1,2-DICHLOROETHENE	<1.0 <1.0 <1.0 <1.0

1,1-DICHLOROETHANE

: ERM-WEST, INC.



CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : METHOD BLANK SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE SAMPLED DATE RECEIVED DATE EXTRACTED DATE ANALYZED UNITS DILUTION FACTO	: N/A : N/A : 03/06/00 : ug/L
COMPOUNDS	RESULTS	
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE		
SURROGATE PERCENT RECOVERY	1	LIMITS
1,2-DICHLOROETHANE-D4 TOLUENE-D8 BROMOFLUOROBENZENE		81 - 130 80 - 120 75 - 118

CLIENT

BENZENE

TOLUENE

2-HEXANONE

CHLOROBENZENE

ETHYLBENZENE

BROMOFORM

1,2-DICHLOROPROPANE

BROMODICHLOROMETHANE

4-METHYL-2-PENTANONE

1,1,2-TRICHLOROETHANE

CHLORODIBROMOME THANE

TETRACHLOROETHENE

CIS-1, 3-DICHLOROPROPENE

TRANS-1, 3-DICHLOROPROPENE



VOLATILE ORGANICS ANALYSIS DATA SUMMARY

TRICHLOROETHENE

	DATE ANALYZED : 03/07/00 UNITS : ug/L DILUTION FACTOR : 1
COMPOUNDS	
CHLOROMETHANE VINYL CHLORIDE BROMOMETHANE CHLOROETHANE TRICHLOROFLUOROMETHANE ACETONE 1,1-DICHLOROETHENE METHYLENE CHLORIDE CARBON DISULFIDE TRANS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE VINYL ACETATE 2-BUTANONE	<5.0 <1.0 <1.0 <1.0 <1.0 <1.0 <5.0 <5.0 <5.0 <1.0 <1.0 <1.0

<1.0

<1.0

<1.0

<1.0

<3.0

<10

<3.0

<1.0

<1.0

<2.0

<10

<1.0

<1.0

<1.0

<3.0



VOLATILE ORGANICS ANALYSIS DATA SUMMARY

EPA METHOD : 8260B	DATE ANALYZED : 03/07/00 UNITS : ug/L DILUTION FACTOR : 1	*·
COMPOUNDS	RESULTS	2
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE	<1.0 <1.0 <1.0 <1.0	
SURROGATE PERCENT RECOVERY 1,2-DICHLOROETHANE-D4 TOLUENE-D8 BROMOFLUOROBENZENE	LIMITS 99 81 - 130 98 80 - 120 96 75 - 118	

KCSlip4 42756



COMPOUNDS	RESULTS
CHLOROMETHANE	
VINYL CHLORIDE	<1.0
BROMOMETHANE	<1.0
CHLOROETHANE	<1.0
TRICHLOROFLUOROMETHANE	· — • —
A CIDITONITO	<1.0
1,1-DICHLOROETHENE	<10
WETHYLENE CHLORIDE	<1.0
CARRON DIGILIFIDE	55.0
METHYLENE CHLORIDE CARBON DISULFIDE IRANS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE	<5.0
1-DICHIODOFFUNTE	<1.0
VINYL ACETATE	<1.0
•	<10
2-BUTANONE 'YLOROFORM	110
TC-1 2-DIGHI ODORMUDUD	<1.0
IS-1,2-DICHLOROETHENE 1,1,1-TRICHLOROETHANE 1,2-DICHLOROETHANE	<1.0
1,1,1-IRICHLOROETHANE	<1.0
TARRON MEMBAGHI ORTON	<1.0
CARBON TETRACHLORIDE BENZENE	<1.0
	<1.0
1,2-DICHLOROPROPANE	<1.0
RICHLOROETHENE	<1.0
BROMODICHLOROMETHANE	<1.0
115-1, 3-DICHLOROPROPENE	<3.0
CIS-1,3-DICHLOROPROPENE 1-METHYL-2-PENTANONE PRANS-1,3-DICHLOROPROPENE	<10
RANS-1, 3-DICHLOROPROPENE	<3.0
1,1,2-TRICHLOROETHANE	<1.0
COLUENE	<1.0
CHLORODIBROMOMETHANE	<2.0
CHLORODIBROMOMETHANE CHEXANONE CETRACHLOROETHENE	<10
ETRACHLOROETHENE	<1.0
HLOROBENZENE	<1.0
THYLBENZENE	<1.0
BROMO FORM	<3.0



COMPOUNDS

VOLATILE ORGANICS ANALYSIS DATA SUMMARY

PROJECT NAME	: ERM-WEST, INC. : 6067.25 : SEATTLE QTLY. GW MONITORING : BS-006PZ-99/00-3 : WATER : 8260B	DATE RECEIVED DATE EXTRACTED	: 02/23/00 : 02/24/00 : N/A : 03/06/00 : ug/L : 1

COMPOUNDS	RESULTS
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE P-ISOPROPYLTOLUENE 1,2-DICHLOROBENZENE	<1.0 <1.0 <1.0 <1.0 <2.0 <2.0 <2.0 <2.0

SURROGATE	PERCENT RECOVERY		LIMITS	
1,2-DICHLOROETHANE-D4 TOLUENE-D8 BROMOFLUOROBENZENE	••••••••	99 98 106	81 - 130 80 - 120 75 - 118	-

KCSlip4 42758



PROJECT # PROJECT NAME CLIENT I.D. SAMPLE MATRIX	ERM-WEST, INC. 6067.25 SEATTLE QTLY. GW MONITORING MW-2-99/00-3 WATER	DATE SAMPLED DATE RECEIVED DATE EXTRACTED DATE ANALYZED UNITS	: 02/23/00 : 02/24/00 : N/A : 03/06/00 : ug/L
EPA METHOD :	8260B	DILUTION FACTOR	·

COMPOUNDS	RESULTS
CHLOROMETHANE	<5.0
VINYL CHLORIDE	<1.0
BROMOMETHANE	<1.0
CHLOROETHANE	<1.0
TRICHLOROFLUOROMETHANE	<1.0
TRICHLOROFLUOROMETHANE ACETONE 1,1-DICHLOROETHENE	<10
1,1-DICHLOROETHENE	<1 0
METHYLENE CHLORIDE	<5.0
TAPRON DIGIT DIDE	
FRANS-1, 2-DICHLOROETHENE 1, 1-DICHLOROETHANE	<1 0
1,1-DICHLOROETHANE	×1.0
/INYL ACETATE	<10
2-BUTANONE	<10
THLOROFORM	<1.0
IS-1, 2-DICHLODOFTURNE	41 0
1,1,1-TRICHLOROETHANE 1,2-DICHLOROETHANE	<1.0 <1.0
,2-DICHLOROETHANE	<1.0 <1.0
CARBON TETRACHLORIDE	<1.0
RENZENE	- 1 A
,2-DICHLOROPROPANE RICHLOROETHENE	<1.0
RICHLOROETHENE	<1.0
SROMODICHT.OROMETHANE	41 0
CIS-1,3-DICHLOROPROPENE -METHYL-2-PENTANONE CRANS-1,3-DICHLOROPROPENE	<3.0 <1.0
-METHYL-2-PENTANONE	<10
RANS-1.3-DICHLOROPROPENE	<10
,1,2-TRICHLOROETHANE	<3.0
OLUENE	<1.0 <1.0
HLORODIBROMOMETHANE	<2.0
-HEXANONE	~2.U ~10
CHLORODIBROMOMETHANE -HEXANONE ETRACHLOROETHENE	\10
HLOROBENZENE	
THYLBENZENE	<1.0
ROMOFORM	<1.0



CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : MW-2-99/00-3 SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE SAMPLED : 02/23/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/06/00 UNITS : ug/L DILUTION FACTOR : 1
COMPOUNDS	RESULTS
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE P-ISOPROPYLTOLUENE 1,2-DICHLOROBENZENE	
SURROGATE PERCENT RECOVERY	LIMITS
1,2-DICHLOROETHANE-D4 TOLUENE-D8 BROMOFLUOROBENZENE	100 81 - 130 99 80 - 120 107 75 - 118



CLIENT PROJECT # PROJECT NAME CLIENT I.D. SAMPLE MATRIX EPA METHOD	ERM-WEST, INC. 6067.25 SEATTLE QTLY. GW MONITORING MW-1-99/00-3 WATER 8260B	DATE SAMPLED : 02/23/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/06/00 UNITS : ug/L DILUTION FACTOR : 1
--	---	---

COMPOUNDS	RESULTS
CHLOROMETHANE	45 D
VINYL CHLORIDE	
BROMOMETHANE	<1.0
CHLOROETHANE	<1.0
TRICHLOROFLUOROMETHANE	<1.0 <1.0
ACETONE	
1,1-DICHLOROETHENE METHYLENE CHLORIDE CARBON DISULFIDE TRANS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE VINYL ACETATE	<10
METHYLENE CHLORIDE	•• <1.0
CARBON DISHLETDE	<5.0
TRANS-1.2-DICHLOROETHENE	<5.0
1, 1-DICHLOROETHANE	<1.0
VINYL ACETATE	<1.0
2-BUTANONE	<10
THLOROFORM	<10
IS-1.2-DICHLOROFTHENE	<1.0
IS-1,2-DICHLOROETHENE 1,1,1-TRICHLOROETHANE 1,2-DICHLOROETHANE 1,2-DICHLOROETHANE	<1.0
1, 2-DICHLOROETHANE	<1.0
CARBON TETRACHLORIDE	<1.0
BENZENE	<1.0
	<1.0
1,2-DICHLOROPROPANE TRICHLOROETHENE	<1.0
BROMODICHLOROMETHANE	
CIS-1.3-DICHLOPOPPOPENTE	<1.0
CIS-1,3-DICHLOROPROPENE 4-METHYL-2-PENTANONE	<3.0
TRANS-1,3-DICHLOROPROPENE	<10
1,1,2-TRICHLOROETHANE	
FOLUENE.	<1.0
CHLORODIBROMOMETHANE	<1.0
2-HEXANONE	<2.0
2-HEXANONE FETRACHLOROETHENE	<10
CHLOROBENZENE	
ETHYLBENZENE	<1.0
BROMOFORM	<1.0
NORTOT OTAL	<3.0



CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : MW-1-99/00-3 SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE ANALYZED : 03/06/00 UNITS : ug/L DILUTION FACTOR : 1
COMPOUNDS	
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE	<1.0 <1.0 <1.0 <1.0
SURROGATE PERCENT RECOVERY	LIMITS
1,2-DICHLOROETHANE-D4 TOLUENE-D8 BROMOFLUOROBENZENE	101 81 - 130 98 80 - 120 106 75 - 118



COMPOUNDS	RESULTS
CHLOROMETHANE	
VINYL CHLORIDE	
BROMOMETHANE	<1.0
CHLOROETHANE	<1.0
TRICHLOROFLUOROMETHANE	<1.0
ACETONE	<1.0
1.1-DICHLOROFTHENE	<10
METHYLENE CHIODIDE	<1.0
METHYLENE CHLORIDE CARBON DISULFIDE TRANS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE	<5.0
TRANS-1 2-DICUIORORMURATE	<5.0
1.1-DICHLOROETHENE	<1.0
VINYL ACETATE	<1.0
?-BUTANONE	<10
HLOROFORM	<10
CIS-1,2-DICHLOROETHENE	<1.0
1 1 1 TOUR OR OR THENE	<1.0
1,1,1-TRICHLOROETHANE 1,2-DICHLOROETHANE	<1.0
TARRON MEMBAGUI ORIFR	<1.0
CANDON TETRACHLORIDE	<1.0
	<1.0
L, 2-DICHLOROPROPANE PRICHLOROETHENE	<1.0
TRICHLOROETHENE	<1.0
3KUMOD1CHLOROMETHANE	<1.0
CIS-1,3-DICHLOROPROPENE 1-METHYL-2-PENTANONE	<3.0
1-METHYL-2-PENTANONE	<10
PRANS-1,3-DICHLOROPROPENE	<3.0
, I, Z-TRICHLOROETHANE	<1.0
COLUENE	<1.0
CHLORODIBROMOMETHANE	<2.0
2-HEXANONE	<10
ETRACHLOROETHENE	4.1
HLOROBENZENE	<1.0
THYLBENZENE	<1.0
ROMOFORM	<3.0



VOLATILE ORGANICS ANALYSIS DATA SUMMARY

CLIENT PROJECT # PROJECT NAME CLIENT I.D. SAMPLE MATRIX EPA METHOD	: BS-004PZ-99/00-3	DATE SAMPLED : 02/23/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/06/00 UNITS : ug/L DILUTION FACTOR : 1	
--	--------------------	---	--

COMPOUNDS	RESULTS
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE P-ISOPROPYLTOLUENE 1,2-DICHLOROBENZENE	<1.0 <1.0 <1.0 <1.0 <2.0 <2.0 <2.0 <2.0

SURROGATE PERCENT RECOVERY		LIMITS	
1,2-DICHLOROETHANE-D4 TOLUENE-D8 BROMOFLUOROBENZENE	102 98 106	81 - 130 80 - 120 75 - 118	-

KCSlip4 42764



CLIENT PROJECT # PROJECT NAME CLIENT I.D. SAMPLE MATRIX	: ERM-WEST, INC. : 6067.25 : SEATTLE QTLY. GW MONITORING : MW-3-99/00-3 : WATER	DATE SAMPLED : 02/23/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/06/00
SAMPLE MATRIX	: WATER	UNITS : ug/L
EPA METHOD	: 8260B	DILUTION FACTOR : 1

COMPOUNDS	RESULTS
CHLOROMETHANE	
VINYL CHLORIDE	<1.0
BROMOMETHANE	<1.0
CHLOROETHANE	<1.0
TRICHLOROFLUOROMETHANE	<1.0
ACETONE	110
1,1-DICHLOROETHENE	<1.0
METHYLENE CHLORIDE	<5.0
CARBON DISULFIDE	
CARBON DISULFIDE TRANS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE	<1.0
1,1-DICHLOROETHANE	<1.0
VINYL ACETATE	<10
`-BUTANONE	<10
HLOROFORM	<1.0
CIS-1,2-DICHLOROETHENE	<1.0
. 1 . 1 ~ TRICHI.OPOPTHAND	21 A
1,2-DICHLOROETHANE	<1.0
	<1.0
	<1.0
,2-DICHLOROPROPANE TRICHLOROETHENE	<1.0
	<1.0
IS-1,3-DICHLOROPROPENE	<3.0
MEMILYT O TELETION OF THE	I I I
FRANS-1,3-DICHLOROPROPENE	<3 0
	<1.0
COLUENE	<1.0
CHLORODIBROMOMETHANE	<2.0
-HEYANONE	41.0
PETRACHLOROETHENE	<1.0
CHLOROBENZENE	<1.0
ETHYLBENZENE	<1.0
BROMOFORM	
ANOTOT OTAL	<3.0



COMPOUNDS

CLIENT PROJECT # PROJECT NAME CLIENT I.D. SAMPLE MATRIX EPA METHOD	: ERM-WEST, INC. : 6067.25 : SEATTLE QTLY. GW MONITORING : MW-3-99/00-3 : WATER : 8260B	DATE SAMPLED : 02/23/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/06/00 UNITS : ug/L DILUTION FACTOR : 1
--	--	---

COMPOUNDS	RESULTS	
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE P-ISOPROPYLTOLUENE 1,2-DICHLOROBENZENE	<1.0 <1.0 <1.0 <1.0 <2.0 <2.0 <2.0 <2.0	

SURROGATE PERCENT RECOVERY		LIMITS	
1,2-DICHLOROETHANE-D4 TOLUENE-D8 BROMOFLUOROBENZENE	100 98 105	81 - 130 80 - 120 75 - 118	



VOLATILE ORGANICS ANALYSIS DATA SUMMARY

CLIENT : ERM-WEST, INC. DATE SAMPLED : 02/24/00 PROJECT # : 6067.25 DATE RECEIVED : 02/24/00 PROJECT NAME : SEATTLE QTLY. GW MONITORING DATE EXTRACTED : N/A CLIENT I.D. : MW-10-99/00-3 DATE ANALYZED : 03/06/00 SAMPLE MATRIX : WATER UNITS : ug/L EPA METHOD : 8260B DILUTION FACTOR: 1

COMPOUNDS	RESULTS
CHLOROMETHANE	<5 O
VINYL CHLORIDE	<1.0
BROMOMETHANE	<1.0
CHLOROETHANE	<1.0
TRICHLOROFLUOROMETHANE	<1.0
<u>ል</u> ርፍጥለክ <mark>ድ</mark>	
1,1-DICHLOROETHENE	<1 0
METHYLENE CHLORIDE	<5.0
CARRON DISTILLION	. E. A
FRANS-1, 2-DICHLOROETHENE 1, 1-DICHLOROETHANE	<1.0
1.1-DICHLOROETHANE	<1.0
VINYL ACETATE	<1.0
2-BUTANONE	<10
THE OPORODY	
CC 1 2 DIGIT OF COMMISSION	<1.0 <1.0
L.1.1-TRICHLOROETHANE	<1.0
1,1,1-TRICHLOROETHANE 1,2-DICHLOROETHANE	<1.0
CARBON TETRACHLORIDE	<1.0
17317773177	<1.0
	<1.0
7,2-DICHLOROPROPANE TRICHLOROETHENE	<1.0
BROMODICHLOROMETHANE	<1.0
TO 1 2 DEGREE	<1.0
-METHYL-2-PENTANONE	<3.0
-METHYL-2-PENTANONE CRANS-1, 3-DICHLOROPROPENE	<10
1,2-TRICHLOROETHANE	
COLUENE	<1.0
·	<1.0
HEXANONE	<2.0
CHLORODIBROMOMETHANE -HEXANONE CETRACHLOROETHENE	<10
HLOROBENZENE	<1.0
THYLBENZENE	<1.0
ROMOFORM	<1.0
NOTIOE ORM	<3.0



CAMPIE MAMPIN - MAMPIN	DATE SAMPLED : 02/24/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/06/00 UNITS : ug/L DILUTION FACTOR : 1	~
COMPOUNDS	DECIII TC	
(m+p)-XYLENE STYRENE O-XYLENE	<1.0 <1.0 <1.0 <1.0	
SURROGATE PERCENT RECOVERY	LIMITS	
1,2-DICHLOROETHANE-D4 TOLUENE-D8 BROMOFLUOROBENZENE	101 81 - 130 97 80 - 120 104 75 - 118	-



XTRACTED : NALYZED :	02/24/00 N/A 03/06/00 ug/L
	·

HLOROETHANE	COMPOUNDS	RESULTS
INTL CHLORIDE		
REMOMETHANE	TINYI CII ODIDE	
CHLOROETHANE		- • •
CERTCHLOROFLUOROMETHANE		•
ACETONE		<1.0
1,1-DICHLOROETHENE		·
METHYLENE CHLORIDE		<10
CARBON DISULFIDE <5.0	1,1-DICHLOROETHENE	<1.0
TRANS-1,2-DICHLOROETHENE	METHYLENE CHLORIDE	<5.0
VINYL ACETATE	CARBON DISULFIDE	<5.0
VINYL ACETATE	TRANS-1, 2-DICHLOROETHENE	<1.0
VINYL ACETATE	1,1-DICHLOROETHANE	<1.0
THLOROFORM	VINYL ACETATE	
IS-1,2-DICHLOROETHENE 1,1,1-TRICHLOROETHANE 1,2-DICHLOROETHANE 1,2-DICHLOROETHANE CARBON TETRACHLORIDE BENZENE 1,2-DICHLOROPROPANE 1,0 CRICHLOROETHENE CRICHLOROETHENE CIS-1,3-DICHLOROPROPENE CID CIS-1,1-TRICHLOROETHANE CID CIS-1,1-T		<10
IS-1,2-DICHLOROETHENE 1.0		<1.0
1.1-TRICHLOROETHANE 1.2-DICHLOROETHANE 2.2-DICHLOROETHANE 3.0 3.0 3.1-DICHLOROPROPANE 3.0 3.0 3.1-METHYL-2-PENTANONE 3.1-DICHLOROPROPENE 3.0 3.0 3.1-Z-TRICHLOROETHANE 3.0 3.1-Z-TRICHLOROETHANE 3.0 3.1-Z-TRICHLOROETHANE 3.0 3.0 3.0 3.1-Z-TRICHLOROETHANE 3.0 3.0 3.0 3.1-Z-TRICHLOROETHANE 3.0 3.0 3.0 3.0 3.1-Z-TRICHLOROETHANE 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0	IS-1,2-DICHLOROETHENE	= 7 -
1,2-DICHLOROETHANE	1,1,1-TRICHLOROETHANE	
CARBON TETRACHLORIDE <1.0	1,2-DICHLOROETHANE	<1.0
SENZENE	CARBON TETRACHLORIDE	
1.0	BENZENE	
FRICHLOROETHENE <1.0 FROMODICHLOROMETHANE <1.0 CIS-1,3-DICHLOROPROPENE <3.0 FMETHYL-2-PENTANONE <1.0 FRANS-1,3-DICHLOROPROPENE <3.0 L,1,2-TRICHLOROETHANE <1.0 CHLORODIBROMOMETHANE <2.0 CHLORODIBROMOMETHANE <2.0 CHEXANONE <1.0 CHLOROBENZENE <1.0 CHLOROBENZENE <1.0 CHLOROBENZENE <1.0 CHLOROBENZENE <1.0 CHLOROBENZENE <1.0 CHLOROBENZENE <1.0	L, Z-DICHLOROPROPANK	<1.0
### ### ##############################	TRICHLOROETHENE	<1.0
CIS-1,3-DICHLOROPROPENE A-METHYL-2-PENTANONE CRANS-1,3-DICHLOROPROPENE CAL,1,2-TRICHLOROETHANE COLUENE CHLORODIBROMOMETHANE CHLORODIBROMOMETHANE CHEXANONE CHEXANONE CHLOROBENZENE	BROMODICHLOROMETHANE	
METHYL-2-PENTANONE	CIS-1,3-DICHLOROPROPENE	
TRANS-1,3-DICHLOROPROPENE 1,1,2-TRICHLOROETHANE COLUENE CHLORODIBROMOMETHANE 2-HEXANONE CHEXANONE CHLOROBENZENE	4-METHYL-2-PENTANONE	
1,1,2-TRICHLOROETHANE	TRANS-1, 3-DICHLOROPROPENE	<3.0
COLUENE <1.0 CHLORODIBROMOMETHANE <2.0 CHEXANONE <10 CHLOROBENZENE <1.0 CHLOROBENZENE <1.0 CHLOROBENZENE <1.0 CHLOROBENZENE <1.0	1,1,2-TRICHLOROETHANE	
CHLORODIBROMOMETHANE 2-HEXANONE CETRACHLOROETHENE CHLOROBENZENE CTHYLBENZENE <1.0 CTHYLBENZENE <1.0	COLUENE	— - ·
Z-HEXANONE TETRACHLOROETHENE CHLOROBENZENE CTHYLBENZENE C1.0 CTHYLBENZENE C1.0	THT.OROD TRROMOMERITA NTC	40.0
CTHURDENZENE <1.0 CTHURDENZENE <1.0	2-HEXANONE	<1.0
CTHURDENZENE <1.0 CTHURDENZENE <1.0	CETRACHLOROETHENE	<1.0
CTHYLBENZENE <1.0	CHLOROBENZENE	<1.0
71.0		
SKLIMETHT IVM	BROMOFORM	<1.0 <3.0



CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : MW-9-99/00-3 SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE SAMPLED : 02/24/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/06/00 UNITS : ug/L DILUTION FACTOR : 1	*
COMPOUNDS	RESULTS	-
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE P-ISOPROPYLTOLUENE 1,2-DICHLOROBENZENE	<1.0 <1.0 <1.0 <1.0 <2.0 <2.0 <2.0 <2.0	
·		فعیت
SUBBOGATE PERCENT RECOVERY	TTMTMC	



VOLATILE ORGANICS ANALYSIS DATA SUMMARY

	: ERM-WEST, INC. : 6067.25 : SEATTLE QTLY. GW MONITORING : BS-005PZ-99/00-3 : WATER : 8260B	DATE RECEIVED DATE EXTRACTED DATE ANALYZED UNITS	: 02/24/00 : 02/24/00 : N/A : 03/06/00 : ug/L
EPA METHOD	: 8260B	DILUTION FACTOR	: 1

RESULTS CHLOROMETHANE <5.0 VINYL CHLORIDE <1.0 BROMOMETHANE <1.0 CHLOROETHANE <1.0 TRICHLOROFLUOROMETHANE <1.0 ACETONE <10 1,1-DICHLOROETHENE <1.0 METHYLENE CHLORIDE <5.0 CARBON DISULFIDE <5.0 TRANS-1, 2-DICHLOROETHENE <1.0 1,1-DICHLOROETHANE <1.0 VINYL ACETATE <10 2-BUTANONE <10 THLOROFORM <1.0 .IS-1, 2-DICHLOROETHENE <1.0 1,1,1-TRICHLOROETHANE <1.0 1,2-DICHLOROETHANE <1.0 CARBON TETRACHLORIDE <1.0 BENZENE <1.0 1,2-DICHLOROPROPANE <1.0 TRICHLOROETHENE <1.0 BROMODICHLOROMETHANE <1.0 CIS-1, 3-DICHLOROPROPENE <3.0 4-METHYL-2-PENTANONE <10 TRANS-1, 3-DICHLOROPROPENE <3.0 1,1,2-TRICHLOROETHANE <1.0 TOLUENE <1.0 CHLORODIBROMOMETHANE <2.0 2-HEXANONE <10 TETRACHLOROETHENE <1.0 CHLOROBENZENE <1.0 ETHYLBENZENE <1.0 BROMOFORM <3.0



CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : BS-005PZ-99/00-3 SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE SAMPLED : 02/24/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/06/00 UNITS : ug/L DILUTION FACTOR : 1	~
COMPOUNDS	RESULTS	
CHLOROMETHAND		T
VINYL CHLORIDE BROMOMETHANE CHLOROETHANE TRICHLOROFLUOROMETHANE ACETONE 1,1-DICHLOROETHENE METHYLENE CHLORIDE CARBON DISULFIDE TRANS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE VINYL ACETATE	<1.0 <10 <1.0 <5.0	-
2-BUTANONE	<1.0 <1.0 <10 <10	~ ·
THLOROFORM IS-1,2-DICHLOROETHENE 1,1,1-TRICHLOROETHANE 1,2-DICHLOROETHANE CAPPON TETRACHIONE	_ -	
CARBON TETRACHLORIDE	<1.0	- €
1,2-DICHLOROPROPANE	<1.0 <1.0 <1.0 <1.0	
BROMODICHLOROMETHANE CIS-1,3-DICHLOROPROPENE 4-METHYL-2-PENTANONE TRANS-1,3-DICHLOROPROPENE 1,1,2-TRICHLOROETHANE	VI • U	
TOLUENE CHLORODIBROMOMETHANE 2-HEXANONE TETRACHLOROETHENE CHLOROBENZENE		i.
CHLOROBENZENE ETHYLBENZENE BROMOFORM	<1.0 <1.0 <1.0 <3.0	

1,2-DICHLOROETHANE-D4

BROMOFLUOROBENZENE

TOLUENE-D8



100

90

101

81 - 130 80 - 120 75 - 118

CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : BS-005PZ-99/00-3 SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE RECEIVED : DATE EXTRACTED : DATE ANALYZED :	02/24/00 02/24/00 N/A 03/06/00 ug/L 1
COMPOUNDS	RESULTS	
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE P-ISOPROPYLTOLUENE 1,2-DICHLOROBENZENE		·
SURROGATE PERCENT RECOVERY	LIMI	TS



CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : MW-6-99/00-3 SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE SAMPLED : 02/24/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/06/00 UNITS : ug/L DILUTION FACTOR : 1	-
COMPOUNDS	RESULTS	
CHLOROMETHANE VINYL CHLORIDE BROMOMETHANE CHLOROETHANE TRICHLOROFLUOROMETHANE ACETONE 1,1-DICHLOROETHENE METHYLENE CHLORIDE CARBON DISULFIDE TRANS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE VINYL ACETATE 2-BUTANONE "HLOROFORM IS-1,2-DICHLOROETHANE 1,2-DICHLOROETHANE 1,2-DICHLOROETHANE 1,2-DICHLOROETHANE CARBON TETRACHLORIDE BENZENE 1,2-DICHLOROPROPANE TRICHLOROETHANE CRICHLOROETHANE CARBON TETRACHLORIDE BENZENE 1,2-DICHLOROPROPENE 4-METHYL-2-PENTANONE TRANS-1,3-DICHLOROPROPENE 1,1,2-TRICHLOROETHANE	<5.0 <1.0 <1.0 <1.0 <1.0 <1.0 <5.0 <5.0 <5.0 <1.0 <1.0 <1.0 <1.0 <1.0 <1.0 <1.0 <1	

1,2-DICHLOROETHANE-D4

TOLUENE-D8 BROMOFLUOROBENZENE



81 - 130 80 - 120 75 - 118

VOLATILE ORGANICS ANALYSIS DATA SUMMARY

CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : MW-6-99/00-3 SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE SAMPLED : 02/24/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/06/00 UNITS : ug/L DILUTION FACTOR : 1
COMPOUNDS	RESULTS
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE P-ISOPROPYLTOLUENE 1,2-DICHLOROBENZENE	<1.0 <1.0 <1.0 <1.0 <2.0 <2.0 <2.0 <2.0
SURROGATE PERCENT RECOVERY	LIMITS

101

91 100



	UNITS : ug/L DILUTION FACTOR : 1	-
COMPOUNDS	RESULTS	
CHLOROMETHANE VINYL CHLORIDE	<5.0 <1.0 <1.0 <1.0 <1.0 <1.0 <1.0 <5.0 <5.0 <5.0 <1.0 <1.0 <1.0 <1.0 <1.0 <1.0 <1.0 <1	
DINGTOF ORM	<3.0	-



CLIENT PROJECT # PROJECT NAME CLIENT I.D. SAMPLE MATRIX EPA METHOD	: MW-7-99/00-3	DATE SAMPLED : 02/24/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/06/00 UNITS : ug/L DILUTION FACTOR : 1
--	----------------	---

COMPOUNDS	RESULTS
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE P-ISOPROPYLTOLUENE 1,2-DICHLOROBENZENE	<1.0 <1.0 <1.0 <1.0 <2.0 <2.0 <2.0 <2.0

SURROGATE PERCENT RECOVERY		LIMITS
1,2-DICHLOROETHANE-D4 TOLUENE-D8	101 97 104	81 - 130 80 - 120 75 - 118



CLIENT PROJECT # PROJECT NA CLIENT I.I SAMPLE MAI EPA METHOI	: MW-5-99/00-3	DATE SAMPLED : 02/24/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/06/00 UNITS : ug/L DILUTION FACTOR : 1
COMPOUNDS		

COMPOUNDS	RESULTS
CHLOROMETHANE	<5.0
AINIT CHTOKIDE	<1.0
BROMOMETHANE	
CHLOROETHANE	<1.0
TRICHLOROFLUOROMETHANE	<1.0
CHLOROETHANE TRICHLOROFLUOROMETHANE ACETONE 1,1-DICHLOROETHENE METHYLENE CHLORIDE	<10
T, I-DICHLOROETHENE	<1.0
METHYLENE CHLORIDE	<5.0
CARBON DISULFIDE	<5.0
METHYLENE CHLORIDE CARBON DISULFIDE TRANS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE VINYL ACETATE	<1.0
I, I-DICHLOROETHANE	<1.0
· Inter House	<10
2-BUTANONE 'ILOROFORM	<10
	<1.0
IS-1, 2-DICHLOROETHENE	2.5
1,1,1-TRICHLOROETHANE 1,2-DICHLOROETHANE CABBON TETROCTHANE	<1.0
CAPPON TEMPACITARE	<1.0
CARBON TETRACHLORIDE BENZENE	<1.0
1 2-DICHI ODODDODAN	<1.0
1,2-DICHLOROPROPANE TRICHLOROETHENE	<1.0
PDOMODICUL OR OXCOMUNATION	<1.0
BROMODICHLOROMETHANE	<1.0
A-MEMUVI - 2 DELIMENTE	<3.0
BROMODICHLOROMETHANE CIS-1,3-DICHLOROPROPENE 4-METHYL-2-PENTANONE TRANS-1,3-DICHLOROPROPENE	<10
1,1,2-TRICHLOROETHANE	<3.0
TOLUENE	<1.0
CHLORODIBROMOMETHANE	<1.0
2-HEXANONE	<2.0
CHLORODIBROMOMETHANE 2-HEXANONE TETRACHLOROETHENE CHLOROBENZENE	<10
CHLOROBENZENE	<1.0
ETHYLBENZENE	<1.0
BROMOFORM	<1.0
DIVOTO LONG	<3.0



VOLATILE ORGANICS ANALYSIS DATA SUMMARY

PROJECT # PROJECT NAME CLIENT I.D. SAMPLE MATRIX		DATE RECEIVED DATE EXTRACTED DATE ANALYZED UNITS	: 02/24/00 : 02/24/00 : N/A : 03/06/00 : ug/L
EPA METHOD	: 8260B	DILUTION FACTOR	

EPA METHOD : 8260B	DILUTION FACT	
COMPOUNDS	RESULTS	
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE P-ISOPROPYLTOLUENE 1,2-DICHLOROBENZENE	<1.0 <1.0 <1.0 <1.0	
SURROGATE PERCENT RECOVERY		LIMITS
1,2-DICHLOROETHANE-D4 TOLUENE-D8 BROMOFLUOROBENZENE	102 95 103	81 - 130 80 - 120 75 - 118



PROJECT # PROJECT NAME CLIENT I.D. SAMPLE MATRIX	: ERM-WEST, INC. : 6067.25 : SEATTLE QTLY. GW MONITORING : TB022300-1 : WATER : 8260B	DATE SAMPLED DATE RECEIVED DATE EXTRACTED DATE ANALYZED UNITS DILUTION FACTOR	: 02/24/00 : 02/24/00 : N/A : 03/06/00 : ug/L : 1
--	--	---	--

COMPOUNDS	RESULTS
CHLOROMETHANE	<5.0
VINYL CHLORIDE	<1.0
BROMOMETHANE	<1.0
CHLOROE THANE	<1.0
TRICHLOROFLUOROMETHANE	<1.0
ACETONE 1,1-DICHLOROETHENE METHYLENE CHIORIDE	<1.0
	<5.0
CARBON DISULFIDE	
TRANS-1, 2-DICHLOROETHENE	<1.0
TRANS-1, 2-DICHLOROETHENE 1, 1-DICHLOROETHANE	<1.0
VINYL ACETATE	<10
2-BUTANONE	<10
HLOROFORM	
is-1,2-Dichloroethene 1,1,1-TRICHLOROETHANE 1,2-Dichloroethane	<1.0
1,1,1-TRICHLOROETHANE	<1.0
1,2-DICHLOROETHANE	<1.0
CARBON TETRACHLORIDE	Z1 0
BENZENE	<1.0
1,2-DICHLOROPROPANE	<1.0
TRICHLOROETHENE	<1.0
BROMODICHLOROMETHANE	<1.0
CIS-1,3-DICHLOROPROPENE	<3.0
4-METHYL-2-PENTANONE	<10
BROMODICHLOROMETHANE CIS-1,3-DICHLOROPROPENE 4-METHYL-2-PENTANONE TRANS-1,3-DICHLOROPROPENE	<3.0
1,1,2-TRICHLOROETHANE	<1.0
TOLUENE	41 0
CHLORODIBROMOMETHANE	<2.0
2-HEXANONE	<10
CHLORODIBROMOMETHANE 2-HEXANONE TETRACHLOROETHENE CHLOROBENZENE	<1.0
CHLOROBENZENE	<1.0
ETHYLBENZENE	<1.0
BROMOFORM	<3.0
	~3. U



VOLATILE ORGANICS ANALYSIS DATA SUMMARY

CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : TB022300-1 SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE SAMPLED : 02/24/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/06/00 UNITS : ug/L DILUTION FACTOR : 1
COMPOUNDS	RESULTS
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE	
SURROGATE PERCENT RECOVERY	LIMITS
1,2-DICHLOROETHANE-D4 TOLUENE-D8 BROMOFLUOROBENZENE	100 81 - 130 98 80 - 120 101 75 - 118

VOLATILE ORGANICS ANALYSIS DATA SUMMARY

CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : MW-8-99/00-3 SAMPLE MATRIX : WATER EPA METHOD : 8260B		1
COMPOUNDS	RESULTS	_
CHLOROMETHANE VINYL CHLORIDE BROMOMETHANE CHLOROETHANE TRICHLOROFLUOROMETHANE ACETONE 1,1-DICHLOROETHENE METHYLENE CHLORIDE CARBON DISULFIDE TRANS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE VINYL ACETATE 2-BUTANONE ***YIONOFORM** 1S-1,2-DICHLOROETHANE 1,1-TRICHLOROETHANE 1,1-TRICHLOROETHANE 1,2-DICHLOROETHANE CARBON TETRACHLORIDE BENZENE 1,2-DICHLOROPROPANE TRICHLOROETHANE CIS-1,3-DICHLOROPROPENE 4-METHYL-2-PENTANONE TRANS-1,3-DICHLOROPROPENE 1,1,2-TRICHLOROETHANE CHLORODIBROMOMETHANE CHLORODIBROMOMETHANE CHLORODIBROMOMETHANE CHLORODIBROMOMETHANE CHLORODIBROMOMETHANE TETRACHLOROETHENE	<5.0 <1.0 <1.0 <1.0 <1.0 <5.0 <5.0 <5.0 <5.0 <1.0 <1.0 <1.0 <1.0 <1.0 <1.0 <1.0 <1	
CHLOROBENZENE ETHYLBENZENE BROMOFORM	<1.0 <1.0 <3.0	



VOLATILE ORGANICS ANALYSIS DATA SUMMARY

CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : MW-8-99/00-3 SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE SAMPLED : 02/24/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/06/00 UNITS : ug/L DILUTION FACTOR : 1
COMPOUNDS	RESULTS
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE P-ISOPROPYLTOLUENE 1,2-DICHLOROBENZENE	
SURROGATE PERCENT RECOVERY	LIMITS
1,2-DICHLOROETHANE-D4 TOLUENE-D8 BROMOFLUOROBENZENE	102 81 - 130 86 80 - 120 100 75 - 118

: ERM-WEST, INC.

CLIENT

CHLOROBENZENE

ETHYLBENZENE

BROMOFORM



: 02/24/00

DATE SAMPLED

VOLATILE ORGANICS ANALYSIS DATA SUMMARY

PROJECT # : 6067.25 DATE RECEIVED : 02/24/00 PROJECT NAME : SEATTLE QTLY. GW MONITORING DATE EXTRACTED : N/A CLIENT I.D. : MW-8-99/00-3D DATE ANALYZED : 03/07/00 SAMPLE MATRIX : WATER UNITS : ug/L EPA METHOD : 8260B DILUTION FACTOR: 1 COMPOUNDS CHLOROMETHANE <5.0 VINYL CHLORIDE <1.0 BROMOMETHANE <1.0 CHLOROETHANE <1.0 TRICHLOROFLUOROMETHANE <1.0 ACETONE <10 1,1-DICHLOROETHENE <1.0 METHYLENE CHLORIDE <5.0 CARBON DISULFIDE <5.0 TRANS-1, 2-DICHLOROETHENE <1.0 1,1-DICHLOROETHANE <1.0 VINYL ACETATE <10 2-BUTANONE <10 "HLOROFORM <1.0 _IS-1,2-DICHLOROETHENE 6.1 1,1,1-TRICHLOROETHANE <1.0 1,2-DICHLOROETHANE <1.0 CARBON TETRACHLORIDE <1.0 BENZENE <1.0 1,2-DICHLOROPROPANE <1.0 TRICHLOROETHENE **BROMODICHLOROMETHANE** <1.0 CIS-1,3-DICHLOROPROPENE <3.0 4-METHYL-2-PENTANONE <10 TRANS-1,3-DICHLOROPROPENE <3.0 1,1,2-TRICHLOROETHANE <1.0 TOLUENE <1.0 CHLORODIBROMOMETHANE <2.0 2-HEXANONE <10 TETRACHLOROETHENE <1.0

<1.0

<1.0

<3.0



80 - 120 75 - 118

VOLATILE ORGANICS ANALYSIS DATA SUMMARY

CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : MW-8-99/00-3D SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE SAMPLED : 02/24 DATE RECEIVED : 02/24 DATE EXTRACTED : N/A DATE ANALYZED : 03/07 UNITS : ug/L DILUTION FACTOR : 1	/00
COMPOUNDS	RESULTS	
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE P-ISOPROPYLTOLUENE	<1.0 <1.0 <1.0 <1.0	
SURROGATE PERCENT RECOVERY	LIMITS	
1,2-DICHLOROETHANE-D4 TOLUENE-D8	102 81 - 130 93 80 - 120	

93 101

TOLUENE-D8
BROMOFLUOROBENZENE



VOLATILE ORGANICS ANALYSIS DATA SUMMARY

CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONIT CLIENT I.D. : MW-8-99/00-3R SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE SAMPLED : 02/24/00 DATE RECEIVED : 02/24/00 FORING DATE EXTRACTED : N/A DATE ANALYZED : 03/07/00 UNITS : ug/L DILUTION FACTOR : 1
COMPOUNDS	RESULTS
CHLOROMETHANEVINYL CHLORIDE	····· <5.0

CHLOROMETHANE	
VINYL CHLORIDE	<5.0
BROMOMETHANE	<1.0
CHLOROETHANE	<1.0
TRICHLOROFLUOROMETHANE	<1.0
	<1.0
ACETONE 1,1-DICHLOROETHENE METHYLENE	<10
METHYLENE CHLORIDE	<1.0
CARRON DIGHT ETTE	<5.0
TPANC-1 2 DICH OPPORTUNIT	<5.0
1 1-DICHI ODORNIANE	<1.0
VINVI ACEMAND	<1.0
CARBON DISULFIDE TRANS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE VINYL ACETATE 2-BUTANONE	<10
HLOROFORM	<10 .
	<1.0
is-1, 2-DICHLOROETHENE	<1.0
1, 1, 1-TRICHLOROETHANE	<1.0
1,1,1-TRICHLOROETHANE 1,2-DICHLOROETHANE CARBON TETRACH OF THE	<1.0
CHACON INTRACTIONING	<1.0
BENZENE	<1.0
1,2-DICHLOROPROPANE	<1.0
1,2-DICHLOROPROPANE TRICHLOROETHENE	<1.0
BROMODICHLOROMETHANE	<1.0
CIS-1,3-DICHLOROPROPENE	<3.0
BROMODICHLOROMETHANE CIS-1,3-DICHLOROPROPENE 4-METHYL-2-PENTANONE TRANS-1,3-DICHLOROPROPENE	<10
TRANS-1, 3-DICHLOROPROPENE	<3.0
1/1/2 INICHLORUE I HANE	<1.0
TOLUENE	-1 Λ
CHLORODIBROMOME THANE	<2.0
2-HEXANONE	<10
CHLORODIBROMOMETHANE 2-HEXANONE TETRACHLOROETHENE	<1.0
CHLOROBENZENE	<1.0
ETHYLBENZENE	<1.0
BROMOFORM	<3.0
	\3.0

KCSlip4 42786

P-ISOPROPYLTOLUENE

1,2-DICHLOROBENZENE



VOLATILE ORGANICS ANALYSIS DATA SUMMARY

CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : MW-8-99/00-3R SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE SAMPLED : 02/24/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/07/00 UNITS : ug/L DILUTION FACTOR : 1
COMPOUNDS	RESULTS
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE	<1.0 <1.0 <1.0 <1.0 <2.0 <2.0

<2.0 <2.0

SURROGATE PERCENT RECOVERY		LIMITS
1,2-DICHLOROETHANE-D4 TOLUENE-D8 BROMOFLUOROBENZENE	100 91 100	81 - 130 80 - 120 75 - 118

4-METHYL-2-PENTANONE

1,1,2-TRICHLOROETHANE

CHLORODIBROMOMETHANE

TETRACHLOROETHENE

TOLUENE

2-HEXANONE

CHLOROBENZENE

ETHYLBENZENE

BROMOFORM

TRANS-1,3-DICHLOROPROPENE

: ERM-WEST, INC.

CLIENT

PROJECT #



: 02/24/00

DATE SAMPLED

VOLATILE ORGANICS ANALYSIS DATA SUMMARY

PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : MW-4-99/00-3 SAMPLE MATRIX : WATER EPA METHOD : 8260B	UNITS : ug/L DILUTION FACTOR : 1	-
COMPOUNDS	RESULTS	
CHLOROMETHANE VINYL CHLORIDE		1
BROMOMETHANE CHLOROETHANE TRICHLOROFTJIOROMETHANE	<1.0 <1.0	
ACETONE 1,1-DICHLOROETHENE METHYLENE CHLORIDE	<10 <1.0 <5.0	_
CARBON DISULFIDE TRANS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE		~
2-BUTANONE 4LOROFORM	<10 <10 <1.0	_
1,1,1-TRICHLOROETHENE 1,1,1-TRICHLOROETHANE 1,2-DICHLOROETHANE	21 0	_
BENZENE	<1.0	ě
TRICHLOROETHENE BROMODICHLOROMETHANE CIS-1 3- BIGNIOPER OF THE STATE O	2.9 <1.0 <3.0	
A_METHAT 2 DELYMBATOLE	73.0	_

<10

<3.0

<1.0

<1.0

<2.0

<10

<1.0

<1.0

<1.0

<3.0

1,2-DICHLOROETHANE-D4
TOLUENE-D8

BROMOFLUOROBENZENE



81 - 130 80 - 120 75 - 118

VOLATILE ORGANICS ANALYSIS DATA SUMMARY

CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : MW-4-99/00-3 SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE SAMPLED : 02/24/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/07/00 UNITS : ug/L DILUTION FACTOR : 1
COMPOUNDS	RESULTS
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE P-ISOPROPYLTOLUENE 1,2-DICHLOROBENZENE	<1.0 <1.0 <1.0 <1.0 <2.0 <2.0 <2.0 <2.0
SURROGATE PERCENT RECOVERY	LIMITS

100 98

97

MultiChem ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS DATA SUMMARY

COMPOUNDS	RESULTS
CHLOROMETHANE	
DR ON ON THE BUTTON	<1.0
CITT OD OFFICE ATT	<1.0 <1.0
MD T CUI AD AET TOD AS COMMENTED	<1.0
ACETONE 1,1-DICHLOROETHENE	<1.0
CARBON DISULFIDE	<5.0
TRANS-1, 2-DICHLOROETHENE	21.0
CARBON DISULFIDE TRANS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE	<1.0
VINYL ACETATE	<10
2-RIITANONE	
ILOROFORM IS-1,2-DICHLOROETHENE 1,1,1-TRICHLOROETHANE 1,2-DICHLOROETHANE CARBON TETRACHLORIDE BENZENE	<1.0
.iS-1,2-DICHLOROETHENE	<1.0
1,1,1-TRICHLOROETHANE	<1.0
1,2-DICHLOROETHANE	<1.0
CARBON TETRACHLORIDE	<1.0
BENZENE	<1.0
1,2-DICHLOROPROPANE TRICHLOROETHENE	<1.0
TRICHLOROETHENE	<1.0
BROMODICHLOROMETHANE	<1 O
CIS-1, 3-DICHLOROPROPENE	<3.0
CIS-1, 3-DICHLOROPROPENE 4-METHYL-2-PENTANONE TRANS-1, 3-DICHLOROPROPENE	<10
TRANS-1, 3-DICHLOROPROPENE	<3.0
1,1,2-TRICHLOROETHANE	<1.0
TOLUENE	<1.0
CHLORODIBROMOMETHANE	<2.0
CHLORODIBROMOMETHANE 2-HEXANONE TETRACHLOROETHENE	<10
TETRACHLOROETHENE	<1.0
	<1.0
	<1.0
BROMOFORM	<3.0



VOLATILE ORGANICS ANALYSIS DATA SUMMARY

_	CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE OTLY. GW MONITORING CLIENT I.D. : MW-4-99/00-3FA SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE SAMPLED DATE RECEIVED DATE EXTRACTE DATE ANALYZED UNITS DILUTION FACT	: 02/24/00 D : N/A : 03/07/00 : ug/L
	COMPOUNDS	RESULTS	
_	(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE P-ISOPROPYLTOLUENE 1,2-DICHLOROBENZENE	<1.0 <1.0 <1.0 <2.0 <2.0	
	SURROGATE PERCENT RECOVERY		LIMITS
	1,2-DICHLOROETHANE-D4 TOLUENE-D8	99 96 100	81 - 130 80 - 120 75 - 118

TRANS-1, 2-DICHLOROETHENE

VINYL ACETATE

2-BUTANONE

CT TENT



VOLATILE ORGANICS ANALYSIS DATA SUMMARY

PROJECT NAME CLIENT I.D. SAMPLE MATRIX	ERM-WEST, INC. 6067.25 SEATTLE QTLY. GW MONITORING MW-4-99/00-3FT WATER 8260B	DATE SAMPLED : 02/24/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/07/00 UNITS : ug/L DILUTION FACTOR : 1	-
COMPOUNDS		RESULTS	
BROMOMETHANE CHLOROETHANE TRICHLOROFLUORO	METHANE ENE IDE	<5.0 <1.0 <1.0 <1.0 <1.0 <1.0 <5.0 <5.0	-

<1.0

<1.0

<10

1,1-DICHLOROETHANE

KCSlip4 42792

1,2-DICHLOROETHANE-D4

BROMOFLUOROBENZENE

TOLUENE-D8



81 - 130 80 - 120 75 - 118

101

96

98

VOLATILE ORGANICS ANALYSIS DATA SUMMARY

CLIENT : ERM-WEST, INC. PROJECT # : 6067.25 PROJECT NAME : SEATTLE QTLY. GW MONITORING CLIENT I.D. : MW-4-99/00-3FT SAMPLE MATRIX : WATER EPA METHOD : 8260B	DATE SAMPLED : 02/24/00 DATE RECEIVED : 02/24/00 DATE EXTRACTED : N/A DATE ANALYZED : 03/07/00 UNITS : ug/L DILUTION FACTOR : 1
COMPOUNDS	RESULTS
(m+p)-XYLENE STYRENE O-XYLENE 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE P-ISOPROPYLTOLUENE 1,2-DICHLOROBENZENE	. <1.0 <1.0 <1.0 <1.0 <2.0
SURROGATE PERCENT RECOVERY	LIMITS

MultiChem **ANALYTICAL SERVICES**

VOLATILE ORGANICS ANALYSIS QUALITY CONTROL DATA

CLIENT PROJECT #

: ERM-WEST, INC.

SAMPLE I.D. #

: BLANK

PROJECT NAME

: 6067.25 : SEATTLE QTLY. GW MONITORING

DATE EXTRACTED

: N/A

SAMPLE MATRIX : WATER

DATE ANALYZED

: 03/06/00

EPA METHOD

: 8260B

UNITS : ug/L

								_
COMPOUNDS	SAMPLE RESULT	SPIKE ADDED	SPIKED RESULT	g REC.	DUP. SPIKED SAMPLE	-	RPD	
1,1-DICHLOROETHENE BENZENE TRICHLOROETHENE TOLUENE CHLOROBENZENE	<1.00 <1.00 <1.00 <1.00 <1.00	50.0 50.0 50.0 50.0 50.0	49.3 49.9 50.2 50.8 51.4	99 100 100 102 103	N/A N/A N/A N/A N/A	N/A N/A N/A N/A	N/A N/A N/A N/A	_
CONTROL LIMITS				% REC.			RPD	
1,1-DICHLOROETHENE BENZENE TRICHLOROETHENE TOLUENE 'HLOROBENZENE				67 - 1 80 - 1 80 - 1 80 - 1	20 20 25	·	20 20 20 20 20	- E
SURROGATE RECOVERIES		SPIKE		DUP. S	PIKE	LIMITS		_
1,2-DICHLOROETHANE-D4 TOLUENE-D8 BROMOFLUOROBENZENE		100 101 98		N/A N/A N/A		81 - 1 80 - 1 75 - 1	20	<i>e</i>

KCSlip4 42794

MAS I.D. # 002063



VOLATILE ORGANICS ANALYSIS QUALITY CONTROL DATA

DATE EXTRACTED : N/A

SAMPLE I.D. # : BLANK

CLIENT : ERM-WEST, INC.
PROJECT # : 6067.25
PROJECT NAME : SEATTLE QTLY. GW MONITORING
SAMPLE MATRIX : WASCAN
EPA METHOD

DATE ANALYZED : 03/07/00 UNITS

: ug/L

: 8260B EPA METHOD

	~							
-	COMPOUNDS	SAMPLE RESULT	SPIKE ADDED	SPIKED RESULT	% REC.	DUP. SPIKED SAMPLE	-	RPD
_	1,1-DICHLOROETHENE BENZENE TRICHLOROETHENE TOLUENE CHLOROBENZENE	<1.00 <1.00 <1.00 <1.00 <1.00	50.0 50.0 50.0 50.0 50.0	50.3	99 98 102 101 108	N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A	N/A N/A N/A N/A
	CONTROL LIMITS				% REC.			RPD
-	1,1-DICHLOROETHENE BENZENE TRICHLOROETHENE TOLUENE THLOROBENZENE				67 - 1 80 - 1 80 - 1 80 - 1	20 20 25		20 20 20 20 20
-	SURROGATE RECOVERIES		SPIKE		DUP. S	PIKE	LIMITS	
~	1,2-DICHLOROETHANE-D4 TOLUENE-D8 BROMOFLUOROBENZENE		99 98 95		N/A N/A N/A		81 - 1 80 - 1 75 - 1	20

ANALYTICAL SERVICES

VOLATILE ORGANICS ANALYSIS QUALITY CONTROL DATA

CLIENT PROJECT # : ERM-WEST, INC.

SAMPLE I.D. #

: 002063-13

PROJECT NAME

: 6067.25 : SEATTLE QTLY. GW MONITORING

DATE EXTRACTED

: N/A

SAMPLE MATRIX : WATER

DATE ANALYZED

: 03/06/00

EPA METHOD

: 8260B

UNITS : ug/L

								_
COMPOUNDS	SAMPLE RESULT	SPIKE ADDED	SPIKED RESULT	% REC.	DUP. SPIKED SAMPLE	DUP. % REC.	RPD	
1,1-DICHLOROETHENE BENZENE TRICHLOROETHENE TOLUENE CHLOROBENZENE	<1.00 <1.00 12 <1.00 <1.00	50.0 50.0 50.0 50.0 50.0	50.2 52.9 66.8 48.0 55.1	100 106 109 96 110	50.8 52.5 65.9 46.1 55.9	102 105 107 92 112	1 1 1 4 2	_
CONTROL LIMITS				% REC.			RPD	
1,1-DICHLOROETHENE BENZENE TRICHLOROETHENE TOLUENE "HLOROBENZENE				72 - 1: 80 - 1: 79 - 1: 72 - 1: 80 - 1:	33 20 37		20 20 20 20 20	~
SURROGATE RECOVERIES		SPIKE		DUP. SI	PIKE	LIMITS		
1,2-DICHLOROETHANE-D4 TOLUENE-D8 BROMOFLUOROBENZENE		100 90 103		100 98 98		81 - 1 80 - 1 75 - 1	20	Z.

APPENDIX C

QUALITY CONTROL DATA VALIDATION REPORT - FEBRUARY 2000 GROUNDWATER DATA

QUALITY CONTROL DATA VALIDATION REPORT - FEBRUARY 2000 GROUNDWATER DATA

Analytical data are the basis for evaluating the environmental conditions at the Seattle Air National Guard Station (Seattle ANGS) in Seattle, Washington. A primary objective of environmental sampling conducted at the site is to obtain accurate data that reflect actual conditions.

This report addresses groundwater analytical data collected in February 2000 at the Seattle ANGS as part of a quarterly monitoring program. Thirteen primary groundwater samples were analyzed for volatile organic analytes using United States Environmental Protection Agency (USEPA) Method 8260. To ensure that data quality was acceptable for decision-making purposes, analytical data for this project were validated. This process identifies limitations on the use of the data, or data that should not be used for decision-making purposes. The quality of the data was assessed and any necessary qualifiers were applied following the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999).

Environmental Resources Management (ERM) validated data for compliance with the following quality assurance/quality control (QA/QC) project- and/or method-prescribed criteria:

- Holding Time and Preservation: The holding time is the period of time between collection of the sample and preparation/analysis of the sample. Analyses performed for this project have method-prescribed holding times. Preservation refers to the temperature at which the samples are received at the laboratory, as well as any pH anomalies noted by the laboratory for acid-preserved samples.
- Calibration: The analysis of target analytes at a range of concentrations to develop a graphical plot of instrument response against the different analyte concentrations. An initial calibration curve establishes the graphical plot, and the continuing calibration

verification monitors daily instrument linearity against the initial calibration.

- Blank Samples: The preparation and analysis of samples from reagent (contaminant-free) water. Blank samples for this investigation included method, trip, rinsate, and field blanks. Detections in a blank sample indicate laboratory, handling, or field contamination.
- Internal Standards: The addition of compounds similar to target analytes of interest that are added to sample aliquots for organic analysis. The internal standards are used to quantitatively and qualitatively evaluate retention time and instrument response for each analytical run.
- Spike Samples: The preparation and analysis of an environmental sample or a sample of reagent water spiked with a subset of target analytes at known concentrations. The results of the spike analysis measure laboratory accuracy in the reagent sample, and results from the environmental sample spike measure potential interferences from the sample matrix.
- Surrogate Spikes: The addition of compounds similar to target analytes
 of interest that are added to sample aliquots for organic analysis.
 Surrogate spikes measure possible interferences from the sample
 matrix for the analysis of target analytes.
- Duplicate Samples: The preparation and analysis of an additional aliquot of the sample. The results from duplicate analysis measure potential heterogeneity of contaminant concentrations in the samples.

The following data qualifiers were used as appropriate during this validation process:

- U: The analyte was analyzed for, but was not detected above the reported quantitation limit.
- J: The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- UJ: The analyte was not detected above the reported sample quantitation limit; however, the reported quantitation limit was approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.

R: The sample results were rejected due to deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte could not be verified.

None of the February 2000 groundwater data was rejected based on the data validation. All of the data, including qualified data, are acceptable and can be used for decision-making purposes.

The following discussion addresses the results of the data validation for each of the QA/QC components listed above.

Holding Time and Preservation

The USEPA has established maximum recommended holding times for the analyses performed on the February 2000 groundwater samples. The USEPA has also defined the acceptable temperature range at which samples must be stored to maintain sample preservation. Holding times and sample temperatures extending beyond the maximum can negatively affect sample integrity (e.g., loss of volatile compounds, biodegradation), and impacted samples are qualified depending on the severity of the exceedence and the analytes of concern. The maximum recommended holding time for USEPA Method 8260 is 14 days for acid-preserved samples and 7 days for unpreserved samples. The recommended temperature range for sample storage is 2 to 6 degrees Celsius.

Each of the sample analysis results was reviewed for compliance with the method-prescribed preparation and analysis holding times. None of the analyses was performed outside of the prescribed holding time. Accordingly, sample results were not compromised by an excessive period between sample collection and analysis.

The temperature of the samples upon receipt at the laboratory was also reviewed for compliance with method requirements. The samples were received above the method-prescribed temperature range. The results for detected analytes were qualified "J," estimated concentration; the results for non-detected (ND) analytes were qualified "UJ," estimated detection limit (Table C-1).

Calibration Results

Before an analytical instrument is used for sample analysis, the instrument should be calibrated to within USEPA method specifications. The purpose of this calibration is to ensure that the instrument is appropriately

FINAL

TABLE C-1
Results Outside of Temperature Preservation Limits
143rd CCSQ, Seattle ANGS, Seattle, Washington

Data Package	Temperature Upon Receipt	Preservation Limit	Sample ID	Analytical Method	ERM Qualifier
002063	9°C	2 - 6°C	BS-006P2-99/00-3	8260	ÙJ
			MW-2-99/00-3	8260	υj
			MW-1-99/00-3	8260	υj
			BS-004PZ-99/00-3	8260	ī/Úī
			MW-3-99/00-3	8260	ິ້ຫຼັ
			MW-10-99/00-3	8260	ຫຼັ
			MW-9-99/00-3	8260	J/UJ
			BS-005PZ-99/00-3	8260	UJ
			MW-6-99/00-3	8260	J/ŪJ
			MW-7-99/00-3	8260	ÜŢ
			MW-5-99/00-3	8260	J/ŪJ
			TB022300-1	8260	ິບງ
			MW-8-99/00-3	8260	J/UJ
			MW-8-99/00-3D	8260	j/Uj
			MW-8-99/00-3R	8260	ប្រ
			MW-4-99/00-3	8260	J/UJ
			MW-4-99/00-3FA	8260	IJ
			MW-4-99/00-3FT	8260	J/UJ

[°]C = degress Celsius

D = Field duplicate sample

FA = Field blank sample prepared with ASTM Type II water

FT = Field blank sample prepared with tap water

J = Reported values for detected analytes are estimated concentrations.

R = Rinsate blank sample

TB = Trip blank sample

UJ = Reported detection limits for analytes are estimated concentrations.

^{*} Qualifiers apply to listed samples.

responsive to measurable chemical concentrations. If an instrument is not properly calibrated, it may not be capable of producing acceptable quantitative, qualitative, and reproducible data. For example, positive detections of a given analyte could contain an undetermined degree of inaccuracy if the instrument is out of calibration, although the results may still be considered valid. In the case of ND analytes, the associated reporting limit would be similarly affected; however, such results would still be considered NDs.

Two types of calibration data were reviewed: initial calibration verification (ICV) and continuing calibration verification (CCV). The ICV consisted of standards that were analyzed at five or more concentrations. These concentrations ranged from the reporting limit to the upper linear range of the instrument. Average response factors from the ICV were used to calculate sample results. The laboratory evaluated the ICVs using relative standard deviation (RSD). The reported RSDs were compared to the method-prescribed acceptance criteria during the data validation. The only ICV target analyte with an RSD that exceeded the acceptable method-prescribed criterion was 1,2-dichloroethane. The majority of the 1,2-dichlorethane data were non-detect and were qualified "UJ," estimated detection limit. Positive detections of 1,2-dichloroethane were qualified "J," estimated concentration, based on the initial calibration results (Table C-2).

The CCV is analyzed either daily or every 12 hours to ensure the instrument response is still within method performance criteria for linearity. The CCV consisted of analyzing a standard at one concentration; the concentration of this standard was generally in the midrange of the ICV standard concentrations. The laboratory calculated the percent difference (%D) between the CCV and the ICV. The %Ds were compared to the method-prescribed acceptance criteria during the data validation. Table C-2 lists the CCV %Ds that were above the method-prescribed criteria and the samples associated with each CCV, along with the applied data qualifiers. None of the analytes associated with an elevated %D was detected in the project samples.

Blank Samples

Blank samples are prepared in the laboratory or in the field and are carried through the analytical process. The purpose of a blank sample is to test for contamination resulting from laboratory, shipping, or other sample-handling activities. Blank samples are analyzed and evaluated for detections of target analytes. If target analytes are detected in a blank

FINAL

TABLE C-2

Data Qualified Based on Calibration Results

143rd CCSQ, Seattle ANGS, Seattle, Washington

Analytical Parameter	(ICV/CCV)	Target Compound	RSD or %D	Instrument ID	Date	Associated Samples	ERM Qualifier
VOCs	ICV	1,2-Dichloroethane	25 .5	HP4	3/6/00	BS-006P2-99/00-3	J/UJ
					• •	MW-2-99/00-3	31 -3
						MW-1-99/00-3	
						BS-004PZ-99/00-3	
						MW-3-99/00-3	
						MW-10-99/00-3	
						MW-9-99/00-3	
						BS-005PZ-99/00-3	
						MW-6-99/00-3	
						MW-7-99/00-3	
						MW-5-99/00-3	
						TB022300-1	
						MW-8-99/00-3	
						MW-8-99/00-3D	
						MW-8-99/00-3R	
						MW-4-99/00-3	
						MW-4-99/00-3FA	
						MW-4-99/00-3FT	
	CCV	Acetone	54.5	HP4	3/7/00	MW-8-99/00-3D	ບງ
		2-Butanone	42.5			MW-8-99/00-3R	UJ
		4-Methyl-2-pentanone	23.9			MW-4-99/00-3	UJ
		2-Hexanone	34.0			MW-4-99/00-3FA	UJ
						MW-4-99/00-3FT	

Notes:

%D = Percent difference

CCV= Continuing calibration verification

D = Duplicate sample

FA = Field blank sample prepared with ASTM Type II water

FT = Field blank sample prepared with tap water

ICV= Initial calibration verification

J = Reported values for detected analytes are estimated concentrations.

R = Rinsate blank sample

RSD = Relative standard deviation

TB = Trip blank sample

 UJ = Reported detection limits for the listed compounds and samples are estimated concentrations.

VOC = Volatile organic compound

* Data qualifiers apply to listed samples

sample, these detections indicate that some element of the sample collection or analysis process has introduced contaminants not present in the original environmental sample aliquot. If target analytes are detected in a blank sample, then all associated data must be evaluated to determine whether:

- Those data have been similarly impacted; or
- The blank detections are an isolated occurrence not representative of other data.

The four types of blank samples analyzed and reported with the groundwater samples collected in February 2000 were method, trip, rinsate, and field blank samples. Preparation, handling, and analysis of these blank samples are summarized below.

- Method blank samples monitor for potential laboratory contamination of samples. Method blank samples were prepared in the laboratory by taking an aliquot of reagent water through all preparation and analysis steps. A method blank was prepared and analyzed with each batch of environmental samples.
- 2. Trip blank samples monitor for potential contamination of samples during collection and transportation to the laboratory. Trip blank samples were prepared by filling a volatile organics analysis (VOA) vial with an aliquot of reagent water and sealing it with a Teflon-lined-septum lid. The trip blank sample travels with the filled aqueous sample containers to the laboratory.
- 3. Rinsate blank samples monitor for potential contamination of project samples from inadequate decontamination of sample collection equipment. Rinsate blank samples were prepared in the field by pouring American Society for Testing and Materials (ASTM) Type II reagent-grade water over the decontaminated sample collection equipment. The water was collected in clean sample containers supplied by the laboratory. Rinsate blank samples were labeled with an "R" identifier at the end of the sample ID.
- 4. Field blank samples monitor for potential contamination of project samples from ambient conditions at the sample collection site. Field blank samples were prepared at sample collection locations by slowly pouring tap water or ASTM Type II water into clean sample containers supplied by the laboratory. Field blank samples prepared with tap water were labeled with an "FT" identifier at the end of the sample ID.

The identifier "FA" was used to designate field blank samples prepared with ASTM Type II water.

No target analytes were detected in the method, trip, or rinsate blank samples. The common drinking water contaminants chloroform and bromodichloromethane were reported in the tap water field blank sample. Neither of these compounds was detected in any of the associated project samples, and none of the results required qualification based on the tap water field blank results.

Spike Samples

A spike sample is a QC sample that is prepared and analyzed by the laboratory. The laboratory prepares, analyzes, and reports spike sample results to demonstrate their ability to properly analyze, detect, and quantify target analytes. A spike sample result is typically reported as the amount of analyte detected divided by the known amount spiked into the sample, and is commonly referred to as percent recovery. The percent recovery is then compared to an established limit range. ¹ The two types of spike samples analyzed with the project samples were matrix and blank spikes.

- Matrix spike (MS) samples consist of an aliquot of an environmental sample that is spiked with known concentrations of a subset of target analytes. A matrix spike duplicate (MSD) sample is a second (duplicate) spike sample prepared and analyzed with the MS sample. MS samples are used to monitor potential interference from the sample matrix for target analytes. A low MS recovery may indicate lowbiased sample results; a high MS recovery may indicate high-biased sample results.
- 2. Blank spike samples, commonly referred to as laboratory control samples (LCS), consist of an aliquot of reagent water that is spiked with known concentrations of a subset of target analytes. The LCS sample is used to monitor laboratory accuracy without the bias of a sample matrix. LCS recoveries outside of acceptable limits may indicate poor laboratory accuracy.

¹ In most cases, the prescribed analytical method will specify protocol to develop appropriate limit ranges. In some cases, however, limit ranges are established by the laboratory in the method procedures.

All of the MS and LCS recoveries were within acceptable limits. The acceptable MS and LCS recoveries indicate minimal matrix interference and acceptable laboratory accuracy for the February 2000 groundwater data.

Internal Standard Responses

Under USEPA methods, a given analyte list for organic compounds is segregated by chemical properties and retention time into one or more subsets. A USEPA-defined internal standard with comparable chemical properties and retention times is assigned to each subset of analytes. The laboratory adds a known concentration of an internal standard to each sample, including laboratory QC samples (e.g., calibration standards, MS, method blank samples), prior to analysis. The instrument internal standard response for each sample is compared to the internal standard response in the daily CCV. The sample internal standard area count must be within the range of 0.5 to 2 times the CCV area count, and the retention time must be within ±30 seconds of the CCV retention time. If the area count and/or retention time measured for the sample is outside the acceptable range, quantitation results for the associated analyte subset may be biased. Interferences from the sample matrix are typically responsible for internal standard responses that are consistently outside acceptable ranges; most matrix interferences cause a consistently high or low bias.

Internal standards were added to each of the project samples analyzed for VOCs. The internal standard responses were within acceptable limits, indicating minimal matrix interference and acceptable sample quantitation.

Surrogate Spikes

A surrogate spike is similar to an internal standard; it is chemically similar to the target analytes and is only used in organic analyses. The difference between surrogate spikes and internal standards is that surrogate spikes are used only to assess possible interferences from the sample matrix, whereas internal standards are used to quantitate target analytes while accounting for any interferences from the sample matrix. Surrogate spike results are typically reported in terms of percent recovery, which is calculated by dividing the amount of surrogate detected in the sample by the known amount of surrogate added to the sample.

For the February 2000 groundwater data, surrogate recoveries were compared to the laboratory-generated limits of acceptance. The surrogate recoveries were within acceptable limits, indicating that sample results were not subject to interferences from the sample matrix.

Duplicate Samples

A duplicate sample is a second aliquot of a sample that is treated the same as the primary sample. A duplicate sample analysis is performed to measure the precision of the method and possible heterogeneity of analyte concentrations in the sample matrix. Duplicate field samples are collected to measure matrix heterogeneity.

Laboratory duplicate analyses for the project samples consisted of MSD analyses. The laboratory calculated the relative percent difference (RPD) between the MS and MSD spike concentrations. The calculated RPDs were compared to method-prescribed or laboratory-generated acceptable limits. A field duplicate sample also was collected and submitted for analysis, and an RPD was calculated for detected analytes.

The duplicate sample RPDs were within acceptable limits, indicating acceptable analytical precision and minimal matrix heterogeneity.

Overall Assessment

None of the Seattle ANGS analytical data for groundwater samples collected in February 2000 was rejected. The data set is 100 percent complete and meets the project goal for completeness. The data can be used for decision-making purposes. The quality of the February 2000 groundwater analytical data is acceptable for the preparation of technically defensible documents.

APPENDIX D

CHAIN-OF-CUSTODY FORMS

DATE 125 15 TO THE PAGE.	TCI P OTHER					sə	(3) Miciol Dibida	0 (Z) 0 30 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	808 808 808 808	101P (110]		1		N	114		7	In	WY	×	F\		- ALEMANIA	SIGNATURE.		PRINT NALIZE	DATE. TIME.	ANY	MTTWH BY	SIGNATURE	PRINT N.F. M.E.		DATE: TIME:	COMPANY:
98055 Individence 8-8336	ORGANIC COMPOUNDS METALS	F		1	1/0	om+ z je noce	oled sHs hicide e bele ved (ogen ogen sincols disc	only Holl Phell OC OC String Netholic N	8051 8051 8051 8051 8051 6081													THE SET IN CALIFORNIE OF THE SET	SIGNATURE:		PRINT NAME:	DATE: TIME:	ANY:	ME COMMON SE		PRINT NAME:		TIME:	COMPANY:
. 5W Suite 10¹ Renton, WA 98055 (425) 228-833. řAX (425) 228-8336	FUELS ORG				sappo Og SO2	axlen	CCW // CC	HI V V V V) сск ОВО СВО 1 1 2 шоо 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8530 8540 9K-C 9K-C 412 412 413 413 413 414 1bH-		7	<i>Z</i>				2	/			/			SIGNATURE:	Lowis - talle	Produce Tallo	10	1	THE STATE OF THE S	SIGNAUKE	PRINT NAME	25.7	DATE: ATME: V.	COMPANY: // /
ANALYTICAL SERVICES (800) 609-0580 • (425)		OMPANY: CRM West	118+1 Avc. S.M.	00 sins	A 98005	EtsE- 551- (524) XYJ	Leet	3-3-5 (60/67,25	DAIL TO MANA LONG	L: D MAS D HOLD ETURN E	200/12-4/1/00-3	WW-2-97100-3 12123/10 1450 W	1-1-94100-3 2/23/00 15-5 LA	0 041 PZ - 19/00-3 2/23/64/555 W	99/20-3 2/13/2/64D W	1/00-3 2/24/20 0920 W/	1/2 4/20 PSO V	~ 2/24/4/10/10 IN	99/00-3 2/24/0 1112 W	94/00-3 2/4/04/150 V	1-5-99,00-3 Elillow 1305 LV	~ E124183	TAT:					-	PECIAL INSTRUCTIONS/COMMENTS:	Robert in Lovel 4 CLF Tourt				

MASABEONER TELE

TO SUKONTRACI LAB

~~

KCSIIP4 42812

METALS NEEDED: